

## PIZZERIA

**REFRIGERATED DISPLAY CASES FOR INGREDIENTS**

**Model: KDC/12D**


**Code: 02801227**

K-ONE

GN

GN 1/1 REFRIGERATED DISPLAY CABINET - GN 1/1  
refrigerated display cabinet with incorporated condensing unit  
on the right, with straight glass shelf (GN trays not included).

- made in stainless steel
  - GN trays capacity
  - static cooling system
  - 2.2" touch control panel, digital display
  - technical panel at right side
  - automatic defrosting system by pause
  - automatic defrosting system by pause
  - not included: GN trays
-



## TECHNICAL DATA

External dimensions (WxDxH)	mm	1250 x 370 x 440
Condensing unit		plug-in
Temperature	°C	+2/+8°C
Gas		R290
Max abs. power	W	155*
Cooling power	W	145**
Input voltage		1x230V/50Hz
Climate class		5
Packaging dimensions (WxDxH)	mm	163 x 42 x 38
Volume (gross)	mc	0,26
Net weight	kg	22
Gross weight	kg	34

## ACCESSORIES:



Kit of trays with lids (L=1250 display)

02801300



Pair of supports for wall fixing

20801250



Set of feet 200h mm

20801255



Wi-Fi supervising system (overprice)

45000565



60Hz frequency

45000560

## INSTALLATION DIAGRAM:

VISTA LATO POSTERIORE

1250-1400-1500-1600-1800-2000-2150-2680

65

65

65

76

330

208

223

100

55

214

367

VRPG  
GAS REFRIGERANTE R290  
POTENZA MAX ASSORBITA : 160 W  
ALIMENTAZIONE : 230 V ~ 1 - 50Hz  
(\* spina SCHUKO) - Lunghezza cavo 3 mt

DESCRIZIONE		CODICE	
SCHEMA INSTALLAZIONE		705048100	
KDC - 12/ ..... /21 R290 NEW		NOME FILE	
DATA	SCALA	DIS.	MARCO P.
09.09.2025	1:20		

NOTE

- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI PROPRIETA' DI GEMM srl E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -