

## PIZZERIA

**REFRIGERATED DISPLAY CASES FOR INGREDIENTS**

**Model: KDC/20D**

**Code: 02801232**

K-ONE

GN

GN 1/1 REFRIGERATED DISPLAY CABINET - GN 1/1  
refrigerated display cabinet with incorporated condensing unit  
on the right, with straight glass shelf (GN trays not included).

- made in stainless steel
  - GN trays capacity
  - static cooling system
  - 2.2" touch control panel, digital display
  - technical panel at right side
  - automatic defrosting system by pause
  - automatic defrosting system by pause
  - not included: GN trays
-

## TECHNICAL DATA

External dimensions (WxDxH)	mm	2000 x 370 x 440
Condensing unit		plug-in
Temperature	°C	+2/+8°C
Gas		R290
Max abs. power	W	155*
Cooling power	W	145**
Input voltage		1x230V/50Hz
Climate class		5
Packaging dimensions (WxDxH)	mm	204 x 42 x 38
Volume (gross)	mc	0,33
Net weight	kg	32
Gross weight	kg	47

## ACCESSORIES:



Kit of trays with lids (L=2000 display)

02801320



Pair of supports for wall fixing

20801250



Set of feet 200h mm

20801255



Wi-Fi supervising system (overprice)

45000565



60Hz frequency

45000560

INSTALLATION DIAGRAM:

VISTA LATO POSTERIORE

1250-1400-1500-1600-1800-2000-2150-2680

330

208

223

100

55

214

367

65

76

65

150 / 200

VRPG  
 GAS REFRIGERANTE R290  
 POTENZA MAX ASSORBITA : 160 W  
 ALIMENTAZIONE : 230 V ~ 1 - 50Hz  
 (\* spina SCHUKO) - Lunghezza cavo 3 mt

DESCRIZIONE		CODICE		NOTE
SCHEMA INSTALLAZIONE		705048100		
KDC - 12/ ..... /21 R290 NEW		NOME FILE		
DATA	SCALA	DIS.	MARCO P.	
09.09.2025	1:20			

- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI PROPRIETA' DI GEMM srl E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -