

PIZZERIA

REFRIGERATED DISPLAY CASES FOR INGREDIENTS

Model: KDC/21D

Code: 02801233

K-ONE

GN

GN 1/1 REFRIGERATED DISPLAY CABINET - GN 1/1
refrigerated display cabinet with incorporated condensing unit
on the right, with straight glass shelf (GN trays not included).

- made in stainless steel
 - GN trays capacity
 - static cooling system
 - 2.2" touch control panel, digital display
 - technical panel at right side
 - automatic defrosting system by pause
 - automatic defrosting system by pause
 - not included: GN trays
-

TECHNICAL DATA

External dimensions (WxDxH)	mm	2150 x 370 x 440
Condensing unit		plug-in
Temperature	°C	+2/+8°C
Gas		R290
Max abs. power	W	155*
Cooling power	W	145**
Input voltage		1x230V/50Hz
Climate class		5
Packaging dimensions (WxDxH)	mm	272 x 42 x 38
Volume (gross)	mc	0,43
Net weight	kg	38
Gross weight	kg	54

ACCESSORIES:



Kit of trays with lids (L=2150 display)

02801325



Pair of supports for wall fixing

20801250



Set of feet 200h mm

20801255



Wi-Fi supervising system (overprice)

45000565



60Hz frequency

45000560

INSTALLATION DIAGRAM:

VISTA LATO POSTERIORE

1250-1400-1500-1600-1800-2000-2150-2680

330

208

223

100

55

214

367

65

76

65

150 / 200

VRPG
 GAS REFRIGERANTE R290
 POTENZA MAX ASSORBITA : 160 W
 ALIMENTAZIONE : 230 V ~ 1 - 50Hz
 (* spina SCHUKO) - Lunghezza cavo 3 mt

DESCRIZIONE		CODICE		NOTE
SCHEMA INSTALLAZIONE		705048100		
KDC - 12/ /21 R290 NEW		NOME FILE		
DATA	SCALA	DIS.	MARCO P.	
09.09.2025	1:20			

- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI PROPRIETA' DI GEMM srl E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -