

## PROFESSIONAL KITCHENS

### 700 DEPTH COUNTERS

Model: KTN7D/02S

Code: 04202802


K-ONE

GN 1/1

FREEZER COUNTER GN 1/1 - Freezer counter 700 depth  
2 doors  
without work top

- made in stainless steel
- GN 1/1 racks capacity
- ventilated cooling system
- 2.8" touch control panel, digital display
- technical panel at right side
- automatic defrosting system with heating elements
- automatic elimination of condensate water
- automatic defrosting system with heating elements
- optional equipment: drawer unit with 2 1/2 drawers
- supply with: 1 GN 1/1 shelf each door





## TECHNICAL DATA

Body Height	mm	665
Insulation thickness	mm	50
Capacity (net)	l	181
Capacity (gross)	l	265
Doors	nr	2
External dimensions (WxDxH)	mm	1290 x 690 x 810
Trays/Shelves capacity		GN 1/1
Rack positions	mm	7
Top type		without work top
Condensing unit		plug-in
Evaporators	nr	1
Temperature	°C	-15/-20°C
Gas		R290
Max abs. power	W	485*
Cooling power	W	487**
Input voltage		1x230V/50Hz
Energy efficiency class		D
Energy consumption	kWh/24h	6,6
Energy consumption	kWh/year	2404
Energy efficiency index		69,9
Climate class		5
Packaging dimensions (WxDxH)	mm	137 x 76 x 112
Volume (gross)	mc	1,15
Net weight	kg	108
Gross weight	kg	123

## ACCESSORIES:

	Refrigerated drawer unit with 2 1/2 drawers (overprice)	04202600
	Pair of runners for GN 1/1 shelf	40200506
	GN 1/1 rilsan shelf	40200500
	GN 1/1 stainless steel shelf	45100240
	Set of nr. 4 Ø 125 castors (2 self-locking)	40200530
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	45000560

INSTALLATION DIAGRAM:

**PART. INGOMBRO PORTE**

⚡

**GAS REFRIGERANTE R290**  
**POTENZA MAX ASSORBITA (TN) : 225 W**  
**POTENZA MAX ASSORBITA (BT) : 485 W**  
**ALIMENTAZIONE : 230 V ~ 1 - 50Hz ( \* spina SHUKO) - Lunghezza cavo 2 mt**

<b>DESCRIZIONE</b>	<b>SCHEMA INSTALLAZIONE</b>	<b>CODICE</b>	<b>NOTE</b>
<b>KTP-KTN 7D / 02 R290 NEW</b>		<b>705044800</b>	
<b>DATA</b>	<b>SCALA</b>	<b>DIS.</b>	<b>NOME FILE</b>
04.09.2025	1:20	MARCO P.	
- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI PROPRIETA' DI GEMM srl E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -			