

## PASTRY

### 800 DEPTH COUNTERS

Model: KTP8/04A

Code: 04230032

K-ONE

600X400

EN REFRIGERATED COUNTER - Refrigerated pastry counter suitable for 600x400 trays

4 doors

stainless steel work top with backsplash







- made in stainless steel
- 600x400 trays capacity
- refrigeration system HSS "Helped Static System"
- 2.8" touch control panel, digital display
- technical panel at right side
- automatic defrosting system with heating elements
- automatic elimination of condensate water
- automatic defrosting system with heating elements
- supply with: 7 pair of runners each door



## TECHNICAL DATA

Body Height	mm	710
Insulation thickness	mm	50
Capacity (net)	l	539
Capacity (gross)	l	822
Doors	nr	4
External dimensions (WxDxH)	mm	2650 x 800 x 1000
Trays/Shelves capacity		600x400 mm
Rack positions	mm	7
Stainless steel top thickness	mm	15/10 H 40
Top type		work top with back spalsh
Condensing unit		plug-in
Evaporators	nr	2
Temperature	°C	0/+8°C
Gas		R290
Max abs. power	W	520*
Cooling power	W	725*
Input voltage		1x230V/50Hz
Energy efficiency class		C
Energy consumption	kWh/24h	4,2
Energy consumption	kWh/year	1536
Energy efficiency index		48,5
Climate class		5
Packaging dimensions (WxDxH)	mm	278 x 96 x 110
Volume (gross)	mc	2,94
Net weight	kg	242
Gross weight	kg	257

## ACCESSORIES:

	Rilsan 60x40 cm shelf	45020550
	Pair of runners for 60x40 cm trays	20808031
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Set of nr. 6 Ø 125 castors (2 self-locking)	40200532
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	45000560

INSTALLATION DIAGRAM:

