

## PASTRY

### 800 DEPTH COUNTERS

Model: KTN8/03S

Code: 04240020

K-ONE

600X400

EN FREEZER COUNTER - Freezer pastry counter suitable  
for 600x400 trays

3 doors

without work top

- made in stainless steel
- 600x400 trays capacity
- refrigeration system HSS "Helped Static System"
- 2.8" touch control panel, digital display
- technical panel at right side
- automatic defrosting system with heating elements
- automatic elimination of condensate water
- automatic defrosting system with heating elements
- supply with: 7 pair of runners each door











## TECHNICAL DATA

Body Height	mm	710
Insulation thickness	mm	50
Capacity (net)	l	404
Capacity (gross)	l	605
Doors	nr	3
External dimensions (WxDxH)	mm	2090 x 770 x 860
Trays/Shelves capacity		600x400 mm
Rack positions	mm	7
Top type		without work top
Condensing unit		plug-in
Evaporators	nr	2
Temperature	°C	-15/-20°C
Gas		R290
Max abs. power	W	930*
Cooling power	W	930**
Input voltage		1x230V/50Hz
Energy efficiency class		D
Energy consumption	kWh/24h	8,7
Energy consumption	kWh/year	3171
Energy efficiency index		66,9
Climate class		5
Packaging dimensions (WxDxH)	mm	225 x 96 x 110
Volume (gross)	mc	2,38
Net weight	kg	141
Gross weight	kg	156

## ACCESSORIES:

	Rilsan 60x40 cm shelf	45020550
	Pair of runners for 60x40 cm trays	20808031
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Set of nr. 6 Ø 125 castors (2 self-locking)	40200532
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	45000560

INSTALLATION DIAGRAM:

**INGOMBRO PORTE**

**NOTE**

**CODICE** 705046000

**DESCRIZIONE** SCHEMA INSTALLAZIONE  
KTP-KTN 8 / 03 R290 NEW

**DATA** 05.09.2025 **SCALA** 1:20 **DIS.** MARCO P.

**GAS REFRIGERANTE R290**  
**POTENZA MAX ASSORBITA (TN) : 260 W**  
**POTENZA MAX ASSORBITA (BT) : 930 W**  
**ALIMENTAZIONE : 230 V ~ 1 - 50Hz ( \* spina SHUKO) - Lunghezza cavo 2 m**

**KONE®**

- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI PROPRIETA' DI GEMM srl E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -