

PROFESSIONAL KITCHENS

700 DEPTH COUNTERS

Model: KTHP7D/03

Code: 04330102

K-ONE

GN 1/1

GN 1/1 REFRIGERATED COUNTER BODY H 760 -

Refrigerated counter 700 depth

3 doors

stainless steel normal work top









- made in stainless steel
- GN 1/1 racks capacity
- ventilated cooling system
- 2.8" touch control panel, digital display
- technical panel at right side
- automatic defrosting system with heating elements
- automatic elimination of condensate water
- automatic defrosting system with heating elements
- optional equipment: drawer unit with 2 1/2 drawers or 3 1/3 drawers
- supply with: 2 GN 1/1 shelves each door



TECHNICAL DATA

Body Height	mm	760
Insulation thickness	mm	50
Capacity (net)	l	320
Capacity (gross)	l	485
Doors	nr	3
External dimensions (WxDxH)	mm	1760 x 700 x 900
Trays/Shelves capacity		GN 1/1
Rack positions	mm	8
Stainless steel top thickness	mm	10/10 H 40
Top type		normal work top
Condensing unit		plug-in
Evaporators	nr	1
Temperature	°C	-2/+8°C
Gas		R290
Max abs. power	W	225*
Cooling power	W	406*
Input voltage		1x230V/50Hz
Energy efficiency class		A
Energy consumption	kWh/24h	1,78
Energy consumption	kWh/year	650
Energy efficiency index		24,9
Climate class		5
Packaging dimensions (WxDxH)	mm	185 x 76 x 112
Volume (gross)	mc	1,57
Net weight	kg	143
Gross weight	kg	158

ACCESSORIES:

	Refrigerated drawer unit with 2 1/2 drawers (overprice)	04331200
	Refrigerated drawer unit with 3 1/3 drawers (overprice)	04331205
	Pair of runners for GN 1/1 shelf	40200506
	GN 1/1 rilsan shelf	40200500
	GN 1/1 stainless steel shelf	45100240
	Set of nr. 4 Ø 125 castors (2 self-locking)	40200530
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	45000560

INSTALLATION DIAGRAM:

