

## PROFESSIONAL KITCHENS

### 700 DEPTH COUNTERS

Model: KTHN7D/02S

Code: 04340037

K-ONE

GN 1/1

GN 1/1 FREEZER COUNTER BODY H 760 - Freezer counter  
700 depth  
2 doors  
without work top

- made in stainless steel
- GN 1/1 racks capacity
- ventilated cooling system
- 2.8" touch control panel, digital display
- technical panel at right side
- automatic defrosting system with heating elements
- automatic elimination of condensate water
- automatic defrosting system with heating elements
- optional equipment: drawer unit with 2 1/2 drawers
- supply with: 2 GN 1/1 shelves each door





## TECHNICAL DATA

Body Height	mm	760
Insulation thickness	mm	50
Capacity (net)	l	213
Capacity (gross)	l	311
Doors	nr	2
External dimensions (WxDxH)	mm	1290 x 690 x 860
Trays/Shelves capacity		GN 1/1
Rack positions	mm	8
Top type		without work top
Condensing unit		plug-in
Evaporators	nr	1
Temperature	°C	-15/-20°C
Gas		R290
Max abs. power	W	485*
Cooling power	W	487*
Input voltage		1x230V/50Hz
Energy efficiency class		D
Energy consumption	kWh/24h	4,97
Energy consumption	kWh/year	1714
Energy efficiency index		60,4
Climate class		5
Packaging dimensions (WxDxH)	mm	135 x 76 x 112
Volume (gross)	mc	1,15
Net weight	kg	103
Gross weight	kg	118

## ACCESSORIES:

	Freezer drawer unit with 2 1/2 drawers (overprice)	04341200
	Pair of runners for GN 1/1 shelf	40200506
	GN 1/1 rilsan shelf	40200500
	GN 1/1 stainless steel shelf	45100240
	Set of nr. 4 Ø 125 castors (2 self-locking)	40200530
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	45000560

INSTALLATION DIAGRAM:

**GAS REFRIGERANTE R290**  
**POTENZA MAX ASSORBITA (TN) : 225 W**  
**POTENZA MAX ASSORBITA (BT) : 485 W**  
**ALIMENTAZIONE : 230 V ~ 1 - 50Hz ( \* spina SHUKO) - Lunghezza cavo 2 mt**

**PART. INGOMBRO PORTE**

<b>DESCRIZIONE</b>	<b>SCHEMA INSTALLAZIONE</b>	<b>CODICE</b>	<b>NOTE</b>
<b>KTHP-KTHN 7D / 02 R290 NEW</b>		<b>705045200</b>	
<b>DATA</b> 04.09.2025	<b>SCALA</b> 1:20	<b>DIS.</b> MARCO P.	<b>NOME FILE</b>
- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI PROPRIETA' DI GEMM srl E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -			