

## ICE CREAM|PASTRY|PROFESSIONAL KITCHENS

**BLAST CHILLERS/SHOCK FREEZERS FOR TRAYS**

**Model: KBF/15**

**Code: 04610024**

K-ONE

*15 GN 1/1 // 600x400 TRAYS*

BLAST CHILLER / SHOCK FREEZER FOR 15 GN 1/1 / 600x400 TRAYS - Blast freezer which gets rapidly lower the core temperature of foods: chilling from +90°C to +3°C in 90 minutes and freezing from +90°C to -18°C in 240 minutes. Minimum air temperature -40°C.

- made in stainless steel
- GN 1/1 trays / 600x400 shelves/trays capacity
- chilling from +90°C to +3°C in 90 minutes and freezing from +90°C to -18°C in 240 minutes, reaching minimum air temperature -40°C
- 2.8" touch control panel, digital display
- technical compartment: placed below
- automatic defrosting system with hot gas
- manual tray for elimination of condensate water
- automatic defrosting system with hot gas
- supply with: trays structure, 67 mm pitch
- not included: trays/shelves










## TECHNICAL DATA

|                              |    |                                     |
|------------------------------|----|-------------------------------------|
| Insulation thickness         | mm | 60                                  |
| Capacity (gross)             | l  | 321                                 |
| Doors                        | nr | 1                                   |
| External dimensions (WxDxH)  | mm | 800 x 820 x 2000                    |
| Top type                     |    | without work top                    |
| Condensing unit              |    | 2 plug-in                           |
| Evaporators                  | nr | 1                                   |
| Ice-cream trays capacity     | nr | 21 (5 l - 360x160x120h mm)          |
| Yield* chilling / freezing   | kg | +90/+3°C = 70kg // +90/-18°C = 60kg |
| Gas                          |    | R290                                |
|                              |    | +90/+3°C = 70kg // +90/-18°C = 60kg |
| Max abs. power               | W  | 2906*                               |
| Cooling power                | W  | 3172**                              |
| Input voltage                |    | 3x400V/50Hz                         |
| Climate class                |    | 5                                   |
| Packaging dimensions (WxDxH) | mm | 87 x 91 x 220                       |
| Volume (gross)               | mc | 1,74                                |
| Net weight                   | kg | 194                                 |
| Gross weight                 | kg | 212                                 |

## ACCESSORIES:

|   |                                      |          |
|---|--------------------------------------|----------|
|  | GN 1/1 stainless steel shelf         | 45100240 |
|  | 60x40 cm stainless steel shelf       | 45100242 |
|  | Set of Ø 100 castors                 | 45000540 |
|  | Wi-Fi supervising system (overprice) | 45000565 |
|  | 60Hz frequency                       | 45000560 |

## INSTALLATION DIAGRAM:

