

PROFESSIONAL KITCHENS

TAVOLI PROFONDITA' 700

**Modello:
KTHN7D/02A**

Codice: 04340047

K-ONE

GN 1/1

TAVOLO FREEZER GN 1/1 CORPO H 760 VANO TECNICO
A DX - Tavolo freezer gastronomia con profondità 700
2 porte
piano di lavoro inox con alzatina posteriore

- costruzione in acciaio inox
- capacità: griglie GN 1/1
- refrigerazione ventilata
- pannello di controllo touch 2.8", visualizzazione digit
- vano tecnico a dx
- sbrinamento automatico con resistenze elettriche
- eliminazione automatica acqua di condensa
- allestimenti a richiesta: cassettera a 2 cassetti 1/2
- dotazione: 2 griglie GN 1/1 per porta



DATI TECNICI

Altezza corpo	mm	760
Isolamento	mm	50
Capacità (netta)	l	213
Capacità (lorda)	l	311
Porte	nr	2
Misure esterne (WxDxH)	mm	1300 x 700 x 1000
Capacità teglie		GN 1/1
Posizioni su cremagliera	nr	8
Spessore piano	mm	10/10 H 40
Tipologia piano		con alzatina posteriore
Motore		a bordo
Evaporatori	nr	1
Temperatura	°C	-15/-20°C
Gas		R290
Potenza max assorbita	W	485*
Potenza refrigerante	W	487*
Tensione Alimentazione		1x230V/50Hz
Classe energetica		D
Consumo energetico	kWh/24h	4,97
Consumo energetico	kWh/annum	1714
Indice efficienza energetica		60,4
Classe climatica		5
Misure imballo (WxDxH)	mm	135 x 76 x 112
Volume imballo lordo	mc	1,15
Peso netto	kg	119
Peso lordo	kg	134

ACCESSORI



Freezer drawer unit with 2 1/2 drawers (overprice)

04341200



Pair of runners for GN 1/1 shelf

40200506



GN 1/1 rilsan shelf

40200500



GN 1/1 stainless steel shelf

45100240



Set of nr. 4 Ø 125 castors (2 self-locking)

40200530



Wi-Fi supervising system (overprice)

45000565



60Hz frequency

45000560

SCHEMA DI INSTALLAZIONE

Technical drawing showing the front and side views of the elevator door assembly. Dimensions are provided in millimeters.

Front View Dimensions:
 Total height: 1300 mm
 Total width: 900 mm
 Door height: 760 mm
 Door width: 760 mm
 Top panel height: 100 mm
 Bottom panel height: 100 mm
 Door opening height: 5 mm
 Door opening width: 40 mm
 Distance from top panel to door top: 5 mm
 Distance from door bottom to bottom panel: 5 mm
 Distance from door top to top panel bottom: 100 mm
 Distance from door bottom to bottom panel top: 100 mm

Side View Dimensions:
 Total height: 1000 mm
 Door height: 860 mm
 Door width: 490 mm
 Door opening height: 130 mm
 Door opening width: 60 mm
 Distance from door top to top panel bottom: 15 mm
 Distance from door bottom to bottom panel top: 3 mm
 Distance from door top to top panel top: 40 mm
 Distance from door bottom to bottom panel bottom: 70 mm
 Distance from door top to top panel bottom: 490 mm
 Distance from door bottom to bottom panel top: 630 mm
 Distance from door top to top panel bottom: 685 mm
 Distance from door bottom to bottom panel top: 690 mm

PART. INGOMBRO PORTE

Small technical drawing of the door part showing dimensions: 1290 mm height, 630 mm width, and 480 mm depth.

GAS REFRIGERANTE R290
 POTENZA MAX ASSORBITA (TN) : 225 W
 POTENZA MAX ASSORBITA (BT) : 485 W
 ALIMENTAZIONE : 230 V ~ 1 - 50Hz (* spina SHUKO) - Lunghezza cavo 2 mt

DESCRIZIONE	SCHEMA INSTALLAZIONE	CODICE	NOTE
KTHP-KTHN 7D / 02 R290 NEW		705045200	
DATA	SCALA	DIS.	NOME FILE
04.09.2025	1:20	MARCO P.	
- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI PROPRIETA' DI GEMM srl E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -			