

## GASTRONOMIE

**GASTRONOMIE**

**Modell: TAP/27**

**Code: 42030031**


KÜHLTISCHE 600X400

*LABOR*

BÄCKEREIKÜHLTISCH EN STECKERFERTIG -  
Backwarenkühltisch geeignet für Blechen 600x400

- Bauart: Edelstahl
- Interne Kapazität 600x400 mm Roste
- Position des Technikfachs: am rechts
- Kühlart: controllo digitale
- Schalttafel: digitale Steuerung
- geeignet für Betonsockel Aufstellung
- Abtausystem: automatisch Abtauen mit Heizelementen
- Kondenswasserverdunstung: automatisch
- Optionale Ausstattung: Schubladenblöcke
- Lieferumfang: 7 Paar Auflageschienen pro Türfach





## Technische Daten

Körperhöhe	mm	710
Türe	Nr	4
Nettokapazität	l	539
Bruttokapazität	l	822
Interne Kapazität (Bleche/Roste)	Nr	28 600x400
Externe Abmessungen (WxDxH)	cm	265 x 80 x 90
Isolierung Stärke	mm	50
Steckplatz	mm	75
Lagerung auf Zahnstange	Nr	7
CNS Arbeitsplatte Dicke	mm	NEIN
CNS Arbeitsplatte		CNS ohne Aufkantung
Verdampfer	Nr	2
Schloss Ausführung		NEIN
Beleuchtung		NEIN
Temperatur	°C	0/+8°C
Motor		steckerfertig
Kühlmittel		R290
Lüftungssteuerung		NEIN
Feuchtigkeitskontrolle		NEIN
Max. aufgenommene Leistung	W	520
Kühlleistung	W	725*
Nennspannung		1x230V ~ 50Hz
Energieeffizienzklasse		C
Energieverbrauch	kWh/24h	4,2
Energieverbrauch	kWh/Jahre	1536
Energieeffizienzindex		48,5
Klima Klasse		5
Verpackungsmaße (WxDxH)	cm	110 x 96 x 303
Bruttovolumen	mc	2,94
Nettogewicht	kg	303
Bruttogewicht	kg	278

\*Verd. -10°C, Kond. +45°C

## EIGENSCHAFTEN



Constant temperature monitoring with digital control board



Color finish (RAL) upon request



Worktops in stainless steel, height 40 mm, reinforced and made from 15/10 thick sheet metal



Internal cell probe for constant temperature monitoring



Automatic condensate water evaporation



40x60 cm trays



body h 710 mm











Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)




Ecological gas (R290)

## ZUBEHÖR

	CRP/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)	42030009
	Rilsan cm 60x40 shelf	45020550
	Pair of runners for 60x40 cm trays	20808031
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Set of no. 4 Ø 125 castors	40200530
	LED light for 2 doors (counter), overprice	40203010
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560



INSTALLATIONS DIAGRAM



TAP/27

UMWELTZEICHEN

