

PIZZERIA

600x400 PIZZA COUNTERS

Model: PC/215


Code: 20800450

UNIVERSAL

EN PIZZA COUNTER - Pizza preparation counter. Composed by refrigerated base with 3 doors, granite work top with back splash and GN refrigerated display cabinet with straight glass shelf (GN trays not included).

- Construction: made in stainless steel
- Internal capacity: 600x400 mm racks
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic (counter)
- Supply with: 3 60x40 cm plastic containers
2 pair of runners each door
1 60x40 cm shelf each door
- Not included: GN trays












Technical Data:


Body Height	mm	710
Doors	nr	3
Capacity of trays/shelves	mm	21+3
External dimensions (WxDxH)	cm	215 x 82 x 150
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	H 30
Top type		"sardininan" granite
VRPG trays capacity	nr	10 (GN 1/3)
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	+2/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	260*-155*
Cooling power	W	410*-145**
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	226 x 97 x 150
Volume (gross)	mc	3,29
Net weight	kg	345
Gross weight	kg	370

*Evap. -10°C, Cond. +45°C / **Evap. -23,3 Cond. +54,4°C

ACCESSORIES:

	KIT/21 Kit of trays with lids	20801325
	CRP/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)	42030009
	Pair of runners for 60x40 cm trays	20808031
	Plastified cm 60x40 shelf	20808030
	Plastic cm 60x40x7h pizza container	20808040
	Plastic cm 60x40 lid	20808041
	Stainless steel plinth (□€/ml)	20808530
	Set of no. 6 Ø 125 castors	40200532
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



PC/215