

## PIZZERIA

### REFRIGERATED DISPLAY CABINETS

Model: VRPG/27S

Code: 20801225

#### DISPLAY

GN 1/1 REFRIGERATED DISPLAY CABINET - GN 1/1 refrigerated display cabinet with incorporated condensing unit on the right, without glass shelf (GN trays not included). Available also with straight glass or rounded glass shelf on request.

- Construction: made in stainless steel
- Internal capacity: GN-trays
- Position of technical compartment: on right side
- Refrigeration type: static cooling system
- Control board panel: 2.2" touch control panel, digital display
- Defrosting system: automatic by pause
- Not included: GN trays



## Technical Data:

External dimensions (WxDxH)	cm	268 x 37 x 24
Insulation thickness	mm	50
VRPG trays capacity	nr	11 (GN 1/3)+1 (GN 1/2)
Temperature	°C	+2/+8°C
Condensing unit		plug-in unit
Gas		R290
Max abs. power	W	155*
Cooling power	W	145**
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	275 x 42 x 38
Volume (gross)	mc	0,44
Net weight	kg	50
Gross weight	kg	67

\*Evap. -10°C, Cond. +45°C / \*\*Evap. -23,3 Cond. +54,4°C

## DETAILS:











Ecological gas (R290)




Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

## ACCESSORIES:

	M1/27D Straight glass single shelf	20802180
	M1/27 Curved glass single shelf	20802127
	KIT/27 Kit of trays with lids	20801330
	Pair of supports for wall fixing	20801250
	Set of feet 200h mm	20801255
	Arrangement for remote condensing unit (valve system gas R134a)	20801270
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560

## INSTALLATION DIAGRAM:



VRPG/27S