

PROFESSIONAL KITCHENS

600-700 DEPTH COUNTERS

Model: TNG6D/150S


Code: 40201230

NEW ATLAS

PREARRANGED REFRIGERATED COUNTER - Refrigerated counter 600 depth.

- Construction: made in stainless steel
- Supplied with thermostatic valve (R134a)
- Internal capacity: 325x430 mm racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: 2-drawers units
- Supply with: 1 325x430mm shelf each door
- Not included: condensing unit





Technical Data:

| | | |
|------------------------------|----|------------------------|
| Body Height | mm | 665 |
| Doors | nr | 3 |
| Capacity (gross) | l | 343 |
| External dimensions (WxDxH) | cm | 153 x 59 x 81 |
| Insulation thickness | mm | 50 |
| Tray pitch | mm | 75 |
| Rack positions | nr | 7 |
| Top type | | without work top |
| Evaporators | nr | 1 |
| Standard lock | | NO |
| Standard light | | NO |
| Temperature | °C | -2/+8°C |
| Condensing unit | | remote condensing unit |
| Ventilation control | | NO |
| Humidity control | | NO |
| Max abs. power | W | 225* |
| Cooling power | W | 406* |
| Input voltage | | 1x230V ~ 50Hz |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 185 x 76 x 112 |
| Volume (gross) | mc | 1,57 |
| Net weight | kg | 56 |
| Gross weight | kg | 71 |

*Evap. -10°C, Cond +45°C


DETAILS:



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:



CR6/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

40201300

Condensing unit 1/3 HP for 4 doors counter (distanza ≤ 10 metri)

40200182

Tray for automatic elimination of condensate water

40200185

cm 32,5X43 shelf (for 600 depth counter)

40200502



Pair of runners for 600 depth counter

40200504



Set of no. 4 Ø 125 castors

40200530



Glass door for refrigerated counters 600/700 depth with led light included (overprice)

40202700



LED light for 3 doors (counter), overprice

40203015



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

INSTALLATION DIAGRAM:



TNG6D/150S