

PROFESSIONAL KITCHENS

600-700 DEPTH COUNTERS

Model: TNG6D/200A


Code: 40201260

NEW ATLAS

PREARRANGED REFRIGERATED COUNTER - Refrigerated counter 600 depth.

- Construction: made in stainless steel
- Supplied with thermostatic valve (R134a)
- Internal capacity: 325x430 mm racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: 2-drawers units
- Supply with: 1 325x430mm shelf each door
- Not included: condensing unit





Technical Data:

Body Height	mm	665
Doors	nr	4
Capacity (gross)	l	466
External dimensions (WxDxH)	cm	200 x 60 x 95
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	10/10 H 40
Top type		AISI 304 with backsplash
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		remote condensing unit
Ventilation control		NO
Humidity control		NO
Max abs. power	W	445*
Cooling power	W	605*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	230 x 76 x 112
Volume (gross)	mc	1,96
Net weight	kg	117
Gross weight	kg	132

*Evap. -10°C, Cond +45°C

DETAILS:



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:



CR6/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

40201300

Condensing unit 1/3 HP for 3-4 doors counter (distanza ≤ 10 metri)

40200182

Tray for automatic elimination of condensate water

40200185

cm 32,5X43 shelf (for 600 depth counter)

40200502



Pair of runners for 600 depth counter

40200504



Set of no. 6 Ø 125 castors

40200532



Glass door for refrigerated counters 600/700 depth with led light included (overprice)

40202700



LED light for 4 doors (counter), overprice

40203020



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

INSTALLATION DIAGRAM:



TNG6D/200A