

PROFESSIONAL KITCHENS

600-700 DEPTH COUNTERS

Model: TG6D/130A


Code: 40201412

NEW ATLAS

REFRIGERATED COUNTER - Refrigerated counter 600 depth.

- Construction: made in stainless steel
- Internal capacity: 325x430 mm racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- prearranged to be installed on plinth
- Defrosting system: with heating elements
- Evaporation of condensation water: automatic condensate evaporation
- Optional equipment: drawer units
- Supply with: 1 325x430mm shelf each door





Technical Data:

Body Height	mm	665
Doors	nr	2
Capacity (net)	l	147
Capacity (gross)	l	220
External dimensions (WxDxH)	cm	130 x 60 x 95
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	10/10 H 40
Top type		AISI 304 with backsplash
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	225*
Cooling power	W	406*
Input voltage		1x230V ~ 50Hz
Energy efficiency class		B
Energy consumption kWh/24h	kWh/24h	1,69
Energy consumption kWh/year	kWh/year	618
Energy efficiency index		28,6
Climate class		5
Packaging dimensions (WxDxH)	cm	137 x 76 x 112
Volume (gross)	mc	1,17
Net weight	kg	83
Gross weight	kg	98

*Evap. -10°C, Cond +45°C

DETAILS:




Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:



CR6/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

40201300

cm 32,5X43 shelf (for 600 depth counter)

40200502



Pair of runners for 600 depth counter

40200504



Set of no. 4 Ø 125 castors

40200530



Glass door for refrigerated counters 600/700 depth with led light included (overprice)

40202700



LED light for 2 doors (counter), overprice

40203010



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

INSTALLATION DIAGRAM:



TG6D/130A

ECOLABEL:

