

## PROFESSIONAL KITCHENS

**600-700 DEPTH COUNTERS**

**Model: TG6D/170**


**Code: 40201437**

*NEW ATLAS*

REFRIGERATED COUNTER - Refrigerated counter 600 depth.

- Construction: made in stainless steel
- Internal capacity: 325x430 mm racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 1 325x430mm shelf each door





## Technical Data:

Body Height	mm	665
Doors	nr	3
Capacity (net)	l	220
Capacity (gross)	l	343
External dimensions (WxDxH)	cm	176 x 60 x 85
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	10/10 H 40
Top type		AISI 304 normal
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	225*
Cooling power	W	406*
Input voltage		1x230V ~ 50Hz
Energy efficiency class		B
Energy consumption kWh/24h	kWh/24h	2,03
Energy consumption kWh/year	kWh/year	742
Energy efficiency index		31,5
Climate class		5
Packaging dimensions (WxDxH)	cm	185 x 76 x 112
Volume (gross)	mc	1,57
Net weight	kg	111
Gross weight	kg	126

\*Evap. -10°C, Cond +45°C

## DETAILS:




Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

## ACCESSORIES:



CR6/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

40201300

cm 32,5X43 shelf (for 600 depth counter)

40200502



Pair of runners for 600 depth counter

40200504



Set of no. 4 Ø 125 castors

40200530



Glass door for refrigerated counters 600/700 depth with led light included (overprice)

40202700



LED light for 3 doors (counter), overprice

40203015



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

## INSTALLATION DIAGRAM:



TG6D/170

ECOLABEL:

