

## PROFESSIONAL KITCHENS

**600-700 DEPTH COUNTERS**

**Model: TG6D/220A**


**Code: 40201462**

*NEW ATLAS*

REFRIGERATED COUNTER - Refrigerated counter 600 depth.

- Construction: made in stainless steel
- Internal capacity: 325x430 mm racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 1 325x430mm shelf each door





## Technical Data:

Body Height	mm	665
Doors	nr	4
Capacity (net)	l	293
Capacity (gross)	l	466
External dimensions (WxDxH)	cm	222 x 60 x 95
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	10/10 H 40
Top type		AISI 304 with backsplash
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	440*
Cooling power	W	605*
Input voltage		1x230V ~ 50Hz
Energy efficiency class		B
Energy consumption kWh/24h	kWh/24h	2,46
Energy consumption kWh/year	kWh/year	900
Energy efficiency index		35,4
Climate class		5
Packaging dimensions (WxDxH)	cm	230 x 76 x 112
Volume (gross)	mc	1,96
Net weight	kg	155
Gross weight	kg	170

\*Evap. -10°C, Cond +45°C

## DETAILS:




Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

## ACCESSORIES:



CR6/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

40201300

cm 32,5X43 shelf (for 600 depth counter)

40200502



Pair of runners for 600 depth counter

40200504



Set of no. 4 Ø 125 castors

40200530



Glass door for refrigerated counters 600/700 depth with led light included (overprice)

40202700



LED light for 4 doors (counter), overprice

40203020



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

## INSTALLATION DIAGRAM:



TG6D/220A

ECOLABEL:

