# PROFESSIONAL KITCHENS


**600-700 DEPTH COUNTERS** **Model: TG6D/220A** **Code: 40201462**

*NEW ATLAS*

REFRIGERATED COUNTER - Refrigerated counter 600 depth.

- Construction: made in stainelss steel
- Internal capacity: 325x430 mm racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 1 325x430mm shelf each door





Technical Data:

| | | |
|---|---|---|
| Body Height | mm | 665 |
| Doors | nr | 4 |
| Capacity (net) | l | 293 |
| Capacity (gross) | l | 466 |
| External dimensions (WxDxH) | cm | 222 x 60 x 95 |
| Insulation thickness | mm | 50 |
| Tray pitch | mm | 75 |
| Rack positions | nr | 7 |
| Stainless steel top thickness | mm | 10/10 H 40 |
| Top type | | AISI 304 with backsplash |
| Evaporators | nr | 2 |
| Standard lock | | NO |
| Standard light | | NO |
| Temperature | °C | -2/+8°C |
| Condensing unit | | plug-in unit |
| Gas | | R290 |
| Ventilation control | | NO |
| Humidity control | | NO |
| Max abs. power | W | 440* |
| Cooling power | W | 605* |
| Input voltage | | 1x230V ~ 50Hz |
| Energy efficiency class | | B |
| Energy consumption kWh/24h | kWh/24h | 2,46 |
| Energy consumption kWh/year | kWh/year | 900 |
| Energy efficiency index | | 35,4 |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 230 x 76 x 112 |
| Volume (gross) | mc | 1,96 |
| Net weight | kg | 155 |
| Gross weight | kg | 170 |

*Evap. -10°C, Cond +45°C

DETAILS:




Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Stainless steel construction with 50mm insulation thickness



Racks with easily removable guides featuring 7 positions (75 mm pitch)



Internal detail



Corrosion-protected evaporators with KTL coating



Stainless steel back finish




Digital touch thermostat



Adjustable stainless steel feet



Drawer unit detail




RAL color finish (on request)

ACCESSORIES:

| | | |
|---|---|---|
| | CR6/2 Refrigerated drawer unit with 2 1/2 drawers (overprice) | 40201300 |
| | cm 32,5X43 shelf (for 600 depth counter) | 40200502 |
| | Pair of runners for 600 depth counter | 40200504 |
| | Set of no. 4 Ø 125 castors | 40200530 |
| | Glass door for refrigerated counters 600/700 depth with led light included (overprice) | 40202700 |
| | LED light for 4 doors (counter), overprice | 40203020 |
| | Wi-Fi supervising system (overprice) | 45000565 |
| | 60Hz frequency | 40200560 |

INSTALLATION DIAGRAM:




TG6D/220A

ECOLABEL:


ENERG
енергия · ενεργεια
Y
IJA
IE
IA
GEMM srl
TG6D/220 NEW
A+++
A++
A+
A
B
C
D
E
F
G
C
ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ
ENERGIJA · ENERGY · ENERGIE
ENERGI
899
kWh/annum
1L
293 L
- L
5
40°C-40%
2015/1094-IV