

## PROFESSIONAL KITCHENS

**600-700 DEPTH COUNTERS**

**Model: TNG7D/200S**

**Code: 40202260**


*NEW ATLAS*

**GN 1/1 PREARRANGED REFRIGERATED COUNTER -**

Refrigerated counter 700 depth, available also with left technical department.

- Construction: made in stainless steel
- Supplied with thermostatic valve (R134a)
- Internal capacity: GN 1/1 racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: drawer units
- Supply with: 1 GN 1/1 shelf each door
- Not included: condensing unit





## Technical Data:

Body Height	mm	665
Doors	nr	4
Capacity (gross)	l	563
External dimensions (WxDxH)	cm	199 x 69 x 81
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Top type		without work top
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		remote condensing unit
Ventilation control		NO
Humidity control		NO
Max abs. power	W	445*
Cooling power	W	605*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	230 x 76 x 112
Volume (gross)	mc	1,96
Net weight	kg	113
Gross weight	kg	128

\*Evap. -10°C, Cond +45°C

## DETAILS:




Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

## ACCESSORIES:



CR7/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

40202300



CR7/3 Refrigerated drawer unit with 3 1/3 drawers (overprice)

40202305



CR7/4 Refrigerated drawer unit with 2 1/3+2/3 drawers (overprice)

40202310

Condensing unit 1/3 HP for 3-4 doors counter (distanza ≤ 10 metri)

40200182

Tray for automatic elimination of condensate water

40200185

GN 1/1 shelf

40200500

Stainless steel GN 1/1 shelf

45100240



Pair of runners for GN 1/1 shelf

40200506



Stainless steel GN 1/1 tray h 40 mm

40105050

Stainless steel GN 1/1 tray h 65 mm

40105060

Stainless steel GN 1/1 tray h 100 mm

40105070



Stainless steel lid for GN 1/1 tray

40105080



Set of no. 4 Ø 125 castors

40200530



Glass door for refrigerated counters 600/700 depth with led light included (overprice)

40202700



LED light for 4 doors (counter), overprice

40203020



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

## INSTALLATION DIAGRAM:



TNG7D/200S