

PROFESSIONAL KITCHENS

600-700 DEPTH COUNTERS

Model: TG7D/090A


Code: 40202397

NEW ATLAS

GN 1/1 REFRIGERATED COUNTER - Refrigerated counter
700 depth, available also with left technical department.

- Construction: made in stainless steel
- Internal capacity: GN 1/1 racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 1 GN 1/1 shelf each door





Technical Data:

| | | |
|-------------------------------|----------|--------------------------|
| Body Height | mm | 665 |
| Doors | nr | 1 |
| Capacity (net) | l | 90 |
| Capacity (gross) | l | 138 |
| External dimensions (WxDxH) | cm | 90 x 70 x 95 |
| Insulation thickness | mm | 50 |
| Tray pitch | mm | 75 |
| Rack positions | nr | 7 |
| Stainless steel top thickness | mm | 10/10 H 40 |
| Top type | | AISI 304 with backsplash |
| Evaporators | nr | 1 |
| Standard lock | | NO |
| Standard light | | NO |
| Temperature | °C | -2/+8°C |
| Condensing unit | | plug-in unit |
| Gas | | R290 |
| Ventilation control | | NO |
| Humidity control | | NO |
| Max abs. power | W | 225* |
| Cooling power | W | 405* |
| Input voltage | | 1x230V ~ 50Hz |
| Energy efficiency class | | B |
| Energy consumption kWh/24h | kWh/24h | 1,47 |
| Energy consumption kWh/year | kWh/year | 538 |
| Energy efficiency index | | 26,6 |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 137 x 76 x 112 |
| Volume (gross) | mc | 1,17 |
| Net weight | kg | 89 |
| Gross weight | kg | 96 |

*Evap. -10°C, Cond +45°C

DETAILS:




Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)




Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:

| | | |
|---|--|----------|
|  | CR7/2 Refrigerated drawer unit with 2 1/2 drawers (overprice) | 40202300 |
|  | CR7/3 Refrigerated drawer unit with 3 1/3 drawers (overprice) | 40202305 |
|  | CR7/4 Refrigerated drawer unit with 2 1/3+2/3 drawers (overprice) | 40202310 |
| | GN 1/1 shelf | 40200500 |
| | Stainless steel GN 1/1 shelf | 45100240 |
|  | Pair of runners for GN 1/1 shelf | 40200506 |
|  | Stainless steel GN 1/1 tray h 40 mm | 40105050 |
| | Stainless steel GN 1/1 tray h 65 mm | 40105060 |
| | Stainless steel GN 1/1 tray h 100 mm | 40105070 |
|  | Stainless steel lid for GN 1/1 tray | 40105080 |
|  | Set of no. 4 Ø 125 castors | 40200530 |
|  | Glass door for refrigerated counters 600/700 depth with led light included (overprice) | 40202700 |
|  | LED light for 1 door (counter), overprice | 40203005 |
|  | Wi-Fi supervising system (overprice) | 45000565 |
|  | 60Hz frequency | 40200560 |

INSTALLATION DIAGRAM:



TG7D/090A

ECOLABEL:

