PROFESSIONAL KITCHENS

600-700 DEPTH COUNTERS **Model: TG7D/130S** **Code: 40202402**

NEW ATLAS

GN 1/1 REFRIGERATED COUNTER - Refrigerated counter 700 depth, available also with left technical department.

- Construction: made in stainelss steel
- Internal capacity: GN 1/1 racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 1 GN 1/1 shelf each door





Technical Data:

Body Height	mm	665
Doors	nr	2
Capacity (net)	l	181
Capacity (gross)	l	265
External dimensions (WxDxH)	cm	129 x 69 x 81
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Top type		without work top
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	225*
Cooling power	W	405*
Input voltage		1x230V ~ 50Hz
Energy efficiency class		B
Energy consumption kWh/24h	kWh/24h	1,74
Energy consumption kWh/year	kWh/year	636
Energy efficiency index		28,3
Climate class		5
Packaging dimensions (WxDxH)	cm	137 x 76 x 112
Volume (gross)	mc	1,17
Net weight	kg	87
Gross weight	kg	102

*Evap. -10°C, Cond +45°C

DETAILS:



Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Stainless steel construction with 50mm insulation thickness



Racks with easily removable guides featuring 7 positions (75 mm pitch)



Internal detail



Corrosion-protected evaporators with KTL coating



Stainless steel back finish



Digital touch thermostat



Adjustable stainless steel feet



Drawer unit detail



RAL color finish (on request)

ACCESSORIES:

	CR7/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)	40202300
	CR7/3 Refrigerated drawer unit with 3 1/3 drawers (overprice)	40202305
	CR7/4 Refrigerated drawer unit with 2 1/3+2/3 drawers (overprice)	40202310
	GN 1/1 shelf	40200500
	Stainless steel GN 1/1 shelf	45100240
	Pair of runners for GN 1/1 shelf	40200506
	Stainless steel GN 1/1 tray h 40 mm	40105050
	Stainless steel GN 1/1 tray h 65 mm	40105060
	Stainless steel GN 1/1 tray h 100 mm	40105070
	Stainless steel lid for GN 1/1 tray	40105080
	Set of no. 4 Ø 125 castors	40200530
	Glass door for refrigerated counters 600/700 depth with led light included (overprice)	40202700
	LED light for 2 doors (counter), overprice	40203010
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



TG7D/130S

ECOLABEL:


ENERG
енергия · ενεργεια
Y
IJA
IE
IA
GEMM srl
TG7D/130 NEW
A+++
A++
A+
A
B
C
D
E
F
G
B
ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ
ENERGIJA · ENERGY · ENERGIE
ENERGI
636
kWh/annum
1L
181 L
- L
5
40°C-40%
2015/1094-IV