PROFESSIONAL KITCHENS

600-700 DEPTH COUNTERS **Model: THD/090S** **Code: 40330007**

ATLAS PLUS

GN 1/1 REFRIGERATED COUNTER BODY h 760 – Refrigerated counter 700 depth, available also with left technical department.

- Construction: made in stainelss steel
- Internal capacity: GN 1/1 racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 2 GN 1/1 shelves each door



GEMM®



Technical Data:

Body Height	mm	760
Doors	nr	1
Capacity (net)	l	107
Capacity (gross)	l	161
External dimensions (WxDxH)	cm	90 x 69 x 86
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	8
Top type		without work top
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	225*
Cooling power	W	406*
Input voltage		1x230V ~ 50Hz
Energy efficiency class		B
Energy consumption kWh/24h	kWh/24h	1,46
Energy consumption kWh/year	kWh/year	533
Energy efficiency index		25,8
Climate class		5
Packaging dimensions (WxDxH)	cm	135 x 76 x 112
Volume (gross)	mc	1,15
Net weight	kg	45
Gross weight	kg	60

*Evap. -10°C, Cond +45°C

DETAILS:



Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Stainless steel construction with 50mm insulation thickness



Racks with easily removable guides featuring 8 positions (75 mm pitch)



Internal detail



Corrosion-protected evaporators with KTL coating



Stainless steel back finish



Digital touch thermostat



Adjustable stainless steel feet



Drawer unit detail



RAL color finish (on request)

ACCESSORIES:

	CRH/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)	40331200
	CRH/3 Refrigerated drawer unit with 3 1/3 drawers (overprice)	40331205
	CRH/4 Refrigerated drawer unit with 2 1/3+2/3 drawers (overprice)	40331210
	PVH/01 Glass door for refrigerated counters H760 with led light included (overprice)	40331250
	SPH/01 Self-locking key for counters door	40331255
	Pair of runners for GN 1/1 shelf	40200506
	GN 1/1 shelf	40200500
	Stainless steel GN 1/1 shelf	45100240
	Stainless steel GN 1/1 tray h 40 mm	40105050
	Stainless steel GN 1/1 tray h 65 mm	40105060
	Stainless steel GN 1/1 tray h 100 mm	40105070
	Stainless steel lid for GN 1/1 tray	40105080
	Set of no. 4 Ø 125 castors	40200530
	LED light for 1 door (counter), overprice	40203005
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



THD/090S

ECOLABEL:


ENERG
енергия · ενεργεια
Y
IJA
IE
IA
GEMM srl
THD/090 NEW
A+++
A++
A+
A
B
C
D
E
F
G
B
ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ
ENERGIJA · ENERGY · ENERGIE
ENERGI
533
kWh/annum
1L
107 L
- L
5
40°C-40%
2015/1094-IV