

PROFESSIONAL KITCHENS

GN COUNTERS H 760

Model: THD/170A


Code: 40330107

ATLAS PLUS

GN 1/1 REFRIGERATED COUNTER BODY h 760 -
Refrigerated counter 700 depth, available also with left
technical department.

- Construction: made in stainless steel
- Internal capacity: GN 1/1 racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 2 GN 1/1 shelves each door





Technical Data:

| | | |
|-------------------------------|----------|--------------------------|
| Body Height | mm | 760 |
| Doors | nr | 3 |
| Capacity (net) | l | 320 |
| Capacity (gross) | l | 485 |
| External dimensions (WxDxH) | cm | 176 x 70 x 100 |
| Insulation thickness | mm | 50 |
| Tray pitch | mm | 75 |
| Rack positions | nr | 8 |
| Stainless steel top thickness | mm | 10/10 H 40 |
| Top type | | AISI 304 with backsplash |
| Evaporators | nr | 1 |
| Standard lock | | NO |
| Standard light | | NO |
| Temperature | °C | -2/+8°C |
| Condensing unit | | plug-in unit |
| Gas | | R290 |
| Ventilation control | | NO |
| Humidity control | | NO |
| Max abs. power | W | 225* |
| Cooling power | W | 406* |
| Input voltage | | 1x230V ~ 50Hz |
| Energy efficiency class | | A |
| Energy consumption kWh/24h | kWh/24h | 1,78 |
| Energy consumption kWh/year | kWh/year | 650 |
| Energy efficiency index | | 24,9 |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 185 x 76 x 112 |
| Volume (gross) | mc | 1,57 |
| Net weight | kg | 146 |
| Gross weight | kg | 161 |

*Evap. -10°C, Cond +45°C

DETAILS:



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)




Remote monitoring system
via GEMM-Cloud Wi-Fi
connection (on request)

ACCESSORIES:

| | | |
|--|--|----------|
| | CRH/2 Refrigerated drawer unit with 2 1/2 drawers (overprice) | 40331200 |
| | CRH/4 Refrigerated drawer unit with 2 1/3+2/3 drawers (overprice) | 40331210 |
| | PVH/01 Glass door for refrigerated counters H760 with led light included (overprice) | 40331250 |
| | SPH/01 Self-locking key for counters door | 40331255 |
| | Pair of runners for GN 1/1 shelf | 40200506 |
| | GN 1/1 shelf | 40200500 |
| | Stainless steel GN 1/1 shelf | 45100240 |
| | Stainless steel GN 1/1 tray h 40 mm | 40105050 |
| | Stainless steel GN 1/1 tray h 100 mm | 40105070 |
| | Stainless steel GN 1/1 tray h 65 mm | 40105060 |
| | Stainless steel lid for GN 1/1 tray | 40105080 |
| | Set of no. 4 Ø 125 castors | 40200530 |
| | LED light for 3 doors (counter), overprice | 40203015 |
| | Wi-Fi supervising system (overprice) | 45000565 |
| | 60Hz frequency | 40200560 |

INSTALLATION DIAGRAM:



THD/170A

ECOLABEL:

