

PROFESSIONAL KITCHENS

GN COUNTERS H 760

Model: THND/100S

Code: 40331035


ATLAS PLUS

GN 1/1 PREARRANGED REFRIGERATED COUNTER

BODY h 760 - Refrigerated counter 700 depth, available also with left technical department.

- Construction: made in stainless steel
- Supplied with thermostatic valve (R134a)
- Internal capacity: GN 1/1 racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: drawer units
- Supply with: 2 GN 1/1 shelves each door
- Not included: condensing unit





Technical Data:


Body Height	mm	760
Doors	nr	2
Capacity (net)	l	213
Capacity (gross)	l	311
External dimensions (WxDxH)	cm	107 x 69 x 86
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	8
Top type		without work top
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		remote condensing unit
Ventilation control		NO
Humidity control		NO
Max abs. power	W	220*
Cooling power	W	406*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	135 x 76 x 112
Volume (gross)	mc	1,15
Net weight	kg	57
Gross weight	kg	72

*Evap. -10°C, Cond +45°C

DETAILS:



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish



Ecological gas (R290)



Remote monitoring system
via GEMM-Cloud Wi-Fi
connection (on request)

ACCESSORIES:



CRH/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

40331200



CRH/3 Refrigerated drawer unit with 3 1/3 drawers (overprice)

40331205



CRH/4 Refrigerated drawer unit with 2 1/3+2/3 drawers (overprice)

40331210



PVH/01 Glass door for refrigerated counters H760 with led light included (overprice)

40331250



SPH/01 Self-locking key for counters door

40331255



Condensing unit 1/4 HP for 1-2-3 doors positive counter (≤ 10 meters distance)

40200180

Tray for automatic elimination of condensate water

40200185



Pair of runners for GN 1/1 shelf

40200506

GN 1/1 shelf

40200500

Stainless steel GN 1/1 shelf

45100240



Stainless steel GN 1/1 tray h 40 mm

40105050

Stainless steel GN 1/1 tray h 65 mm

40105060

Stainless steel GN 1/1 tray h 100 mm

40105070



Stainless steel lid for GN 1/1 tray

40105080



Set of no. 4 Ø 125 castors

40200530



LED light for 2 doors (counter), overprice

40203010



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

INSTALLATION DIAGRAM:



THND/100S