

PROFESSIONAL KITCHENS

GN COUNTERS H 760

Model: THND/150A


Code: 40331105

ATLAS PLUS

GN 1/1 PREARRANGED REFRIGERATED COUNTER
BODY h 760 - Refrigerated counter 700 depth, available also
with left technical department.

- Construction: made in stainless steel
- Supplied with thermostatic valve (R134a)
- Internal capacity: GN 1/1 racks
- Position of technical compartment: on right side
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: drawer units
- Supply with: 2 GN 1/1 shelves each door
- Not included: condensing unit





Technical Data:

Body Height	mm	760
Doors	nr	3
Capacity (net)	l	320
Capacity (gross)	l	485
External dimensions (WxDxH)	cm	154 x 70 x 100
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	8
Stainless steel top thickness	mm	10/10 H 40
Top type		AISI 304 with backsplash
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		remote condensing unit
Ventilation control		NO
Humidity control		NO
Max abs. power	W	220*
Cooling power	W	406*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	185 x 76 x 112
Volume (gross)	mc	1,57
Net weight	kg	116
Gross weight	kg	131

*Evap. -10°C, Cond +45°C

DETAILS:



Drawer unit detail.



Air circulation



Stainless steel construction with 50mm insulation thickness.



Internal detail.



Color finish (RAL) upon request



Digital touch thermostat



S/S back finish















Ecological gas (R290)




Remote monitoring system
via GEMM-Cloud Wi-Fi
connection (on request)

ACCESSORIES:

	CRH/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)	40331200
	CRH/3 Refrigerated drawer unit with 3 1/3 drawers (overprice)	40331205
	CRH/4 Refrigerated drawer unit with 2 1/3+2/3 drawers (overprice)	40331210
	PVH/01 Glass door for refrigerated counters H760 with led light included (overprice)	40331250
	SPH/01 Self-locking key for counters door	40331255
	Condensing unit 1/3 HP for 3-4 doors counter (distanza ≤ 10 metri)	40200182
	Tray for automatic elimination of condensate water	40200185
	Pair of runners for GN 1/1 shelf	40200506
	GN 1/1 shelf	40200500
	Stainless steel GN 1/1 shelf	45100240
	Stainless steel GN 1/1 tray h 40 mm	40105050
	Stainless steel GN 1/1 tray h 65 mm	40105060
	Stainless steel GN 1/1 tray h 100 mm	40105070
	Stainless steel lid for GN 1/1 tray	40105080
	Set of no. 4 Ø 125 castors	40200530
	LED light for 3 doors (counter), overprice	40203015
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



THND/150A