PASTRY


600x400 COUNTERS **Model: TAP/21** **Code: 42030021**

LABOR

EN REFRIGERATED COUNTER - Refrigerated pastry counter suitable for 600x400 trays.

- Construction: made in stainelss steel
- Internal capacity: 600x400 mm racks
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: drawer units
- Supply with: 7 pair of runners each door





Technical Data:

Body Height	mm	710
Doors	nr	3
Capacity (net)	l	404
Capacity (gross)	l	605
Capacity of trays/shelves	mm	21 600x400
External dimensions (WxDxH)	cm	210 x 80 x 90
Insulation thickness	mm	50
Tray pitch	mm	37,5
Rack positions	nr	13
Stainless steel top thickness	mm	15/10 H 40
Top type		AISI 304 normal
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	0/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	260*
Cooling power	W	410*
Input voltage		1x230V ~ 50Hz
Energy efficiency class		B
Energy consumption kWh/24h	kWh/24h	2,3
Energy consumption kWh/year	kWh/year	841
Energy efficiency index		29,8
Climate class		5
Packaging dimensions (WxDxH)	cm	225 x 96 x 110
Volume (gross)	mc	2,38
Net weight	kg	161
Gross weight	kg	176

*Evap. -10°C, Cond +45°C

DETAILS:



Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Body H710 mm



Stainless steel h 40 mm worktops reinforced and made with 15/10 sheet metal




Stainless steel construction with 50mm insulation thickness



Digital touch thermostat



40x60 cm trays



Racks with easily removable guides featuring 13 positions (37,5 mm pitch)



Internal cell probe for constant temperature monitoring



Evaporators with cataphoresis treatment and electronic fans



Stainless steel back finish



Adjustable stainless steel feet




RAL color finish (on request)

ACCESSORIES:


	CRP/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)	42030009
	Rilsan cm 60x40 shelf	45020550
	Pair of runners for 60x40 cm trays	20808031
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Set of no. 4 Ø 125 castors	40200530
	LED light for 2 doors (counter), overprice	40203010
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



TAP/21

ECOLABEL:


ENERG
енергия · ενεργεια
Y
IJA
IE
IA
GEMM srl
TAP/21
A+++
A++
A+
A
B
C
D
E
F
G
B
ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ
ENERGIJA · ENERGY · ENERGIE
ENERGI
848
kWh/annum
1L
404 L
- L
4
30°C-55%
2015/1094-IV