

## PROFESSIONAL KITCHENS

**600x400 COUNTERS**

**Model: TAPN/18S**


**Code: 42030110**

*LABOR*

EN PREARRANGED REFRIGERATED COUNTER -  
Refrigerated pastry counter suitable for 600x400 trays.

- Construction: made in stainless steel
- supplied with thermostatic valve (R134a)
- Internal capacity: 600x400 mm racks
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 2.8" touch control panel, digital display
- prearranged to be installed on plinth
- Defrosting system: automatic defrosting system with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: drawer units
- Supply with: 7 pair of runners each door
- Not included: condensing unit





## Technical Data:

Body Height	mm	710
Doors	nr	3
Capacity (net)	l	404
Capacity (gross)	l	605
Capacity of trays/shelves	mm	21 600x400
External dimensions (WxDxH)	cm	179 x 77 x 86
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Top type		without work top
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	0/+8°C
Condensing unit		remote condensing unit
Gas		R134a
Ventilation control		NO
Humidity control		NO
Max abs. power	W	260*
Cooling power	W	410*
Input voltage		1x230V ~ 50Hz
Climate class		5
Volume (gross)	mc	2,38
Net weight	kg	146
Gross weight	kg	225

\*Evap. -10°C, Cond +45°C

## DETAILS:



Worktops in stainless steel, height 40 mm, reinforced and made from 15/10 thick sheet metal



Internal cell probe for constant temperature monitoring



Automatic condensate water evaporation



40x60 cm trays



body h 710 mm



Constant temperature monitoring with digital control board



Color finish (RAL) upon request



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

## ACCESSORIES:



CRP/2 Refrigerated drawer unit with 2 1/2 drawers (overprice)

42030009

Condensing unit 1/3 HP for 3-4 doors counter (distanza ≤ 10 metri)

40200182

Tray for automatic elimination of condensate water

40200185



Rilsan cm 60x40 shelf

45020550



Pair of runners for 60x40 cm trays

20808031



Stainless steel cm 40x60x2h tray

42000560

Stainless steel cm 40x60x3h tray

42000562



Set of no. 4 Ø 125 castors

40200530



LED light for 3 doors (counter), overprice

40203015



Wi-Fi supervising system (overprice)


45000565



60Hz frequency

40200560

## INSTALLATION DIAGRAM:



TAPN/18S