

PASTRY

600x400 COUNTERS

Model: TAPN/18A


Code: 42030112

LABOR

EN PREARRANGED REFRIGERATED COUNTER -
Refrigerated pastry counter suitable for 600x400 trays.

- Construction: made in stainless steel
- Supplied with thermostatic valve (R134a)
- Internal capacity: 600x400 mm racks
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: drawer units
- Supply with: 7 pair of runners each door
- Not included: condensing unit






Technical Data:

| | | |
|-------------------------------|----|--------------------------|
| Body Height | mm | 710 |
| Doors | nr | 3 |
| Capacity (net) | l | 404 |
| Capacity (gross) | l | 605 |
| Capacity of trays/shelves | mm | 21 600x400 |
| External dimensions (WxDxH) | cm | 180 x 80 x 100 |
| Insulation thickness | mm | 50 |
| Tray pitch | mm | 75 |
| Rack positions | nr | 7 |
| Stainless steel top thickness | mm | 15/10 H 40 |
| Top type | | AISI 304 with backsplash |
| Evaporators | nr | 1 |
| Standard lock | | NO |
| Standard light | | NO |
| Temperature | °C | 0/+8°C |
| Condensing unit | | remote condensing unit |
| Gas | | R134a |
| Ventilation control | | NO |
| Humidity control | | NO |
| Max abs. power | W | 260* |
| Cooling power | W | 410* |
| Input voltage | | 1x230V ~ 50Hz |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 170 x 96 x 110 |
| Volume (gross) | mc | 1,80 |
| Net weight | kg | 134 |
| Gross weight | kg | 149 |

*Evap. -10°C, Cond +45°C

INSTALLATION DIAGRAM:



TAPN/18A