

PROFESSIONAL KITCHENS

600x400 COUNTERS

Model: TAPN/24A


Code: 42030122

LABOR

EN PREARRANGED REFRIGERATED COUNTER -
Refrigerated pastry counter suitable for 600x400 trays.

- Construction: made in stainless steel
- supplied with thermostatic valve (R134a)
- Internal capacity: 600x400 mm racks
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 2.8" touch control panel, digital display
- prearranged to be installed on plinth
- Defrosting system: automatic defrosting system with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: drawer units
- Supply with: 7 pair of runners each door
- Not included: condensing unit






Technical Data:

Body Height	mm	710
Doors	nr	4
Capacity (net)	l	539
Capacity (gross)	l	822
Capacity of trays/shelves	mm	28 600x400
External dimensions (WxDxH)	cm	235 x 80 x 100
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	15/10 H 40
Top type		AISI 304 with backsplash
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	0/+8°C
Condensing unit		remote condensing unit
Gas		R134a
Ventilation control		NO
Humidity control		NO
Max abs. power	W	520*
Cooling power	W	725*
Input voltage		1x230V ~ 50Hz
Climate class		5
Volume (gross)	mc	2,94
Net weight	kg	288
Gross weight	kg	278

*Evap. -10°C, Cond +45°C

INSTALLATION DIAGRAM:



TAPN/24A