

PASTRY

600x400 COUNTERS

Model: TAPBT/10


Code: 42040001

LABOR

EN FREEZER COUNTER - Freezer pastry counter suitable for 600x400 trays.

- Construction: made in stainless steel
- Internal capacity: 600x400 mm racks
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Supply with: 7 pair of runners






Technical Data:

| | | |
|-------------------------------|----------|-----------------|
| Body Height | mm | 710 |
| Doors | nr | 1 |
| Capacity (net) | l | 135 |
| Capacity (gross) | l | 195 |
| Capacity of trays/shelves | mm | 7 600x400 |
| External dimensions (WxDxH) | cm | 105 x 80 x 90 |
| Insulation thickness | mm | 50 |
| Tray pitch | mm | 75 |
| Rack positions | nr | 7 |
| Stainless steel top thickness | mm | 15/10 H 40 |
| Top type | | AISI 304 normal |
| Evaporators | nr | 1 |
| Standard lock | | NO |
| Standard light | | NO |
| Temperature | °C | -15/-20°C |
| Condensing unit | | plug-in unit |
| Gas | | R290 |
| Ventilation control | | NO |
| Humidity control | | NO |
| Max abs. power | W | 455* |
| Cooling power | W | 485** |
| Input voltage | | 1x230V ~ 50Hz |
| Energy efficiency class | | D |
| Energy consumption kWh/24h | kWh/24h | 5,8 |
| Energy consumption kWh/year | kWh/year | 2127 |
| Energy efficiency index | | 67,1 |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 170 x 96 x 110 |
| Volume (gross) | mc | 1,8 |
| Net weight | kg | 83 |
| Gross weight | kg | 98 |

*Evap. -10°C, Cond. +45°C / **Evap. -23,3 Cond. +54,4°C

INSTALLATION DIAGRAM:



TAPBT/10

ECOLABEL:

