

## PASTRY

**600x400 COUNTERS**

**Model: TAPNBT/07**


**Code: 42040091**

*LABOR*

EN PREARRANGED FREEZER COUNTER - Freezer pastry counter suitable for 600x400 trays.

- Construction: made in stainless steel
- Supplied with thermostatic valve (R452A)
- Internal capacity: 600x400 mm racks
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: manual tray
- Optional equipment: drawer units
- Supply with: 7 pair of runners
- Not included: condensing unit





## Technical Data:

Body Height	mm	710
Doors	nr	1
Capacity (net)	l	135
Capacity (gross)	l	195
Capacity of trays/shelves	mm	7 600x400
External dimensions (WxDxH)	cm	75 x 80 x 90
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	15/10 H 40
Top type		AISI 304 normal
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-15/-20°C
Condensing unit		remote condensing unit
Gas		R452A
Ventilation control		NO
Humidity control		NO
Max abs. power	W	275*
Cooling power	W	485**
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	136 x 96 x 110
Volume (gross)	mc	1,44
Net weight	kg	49
Gross weight	kg	64

\*Evap. -10°C, Cond. +45°C / \*\*Evap. -23,3 Cond. +54,4°C

## INSTALLATION DIAGRAM:

PART. INGOMBRO PORTE/  
DOOR DIMENSION

NOTE

CODICE	<b>705 0322 00</b>
DESCRIZIONE	<b>SCHEMA INSTALLAZIONE TAPN e TAPNBT - 1 P</b>
DATA	11/03/2025
SCALA	1:20
DIS.	DIS.
NOME FILE	-

- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI NOSTRA PROPRIETA' E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -

GAS REFRIGERANTE TAPN R134a / TAPN R144a REFRIGERANT GAS  
 GAS REFRIGERANTE TAPNBT R452A / TAPNBT R452A REFRIGERANT GAS

⚡ POTENZA MAX ASSORBITA TAPN / TAPN MAX ABSORBED POWER :220 W  
 POTENZA MAX ASSORBITA TAPNBT / TAPNBT MAX ABSORBED POWER:275 W

ALIMENTAZIONE / : 230 V~ 1 - 50Hz (\* spina SCHUKO / SCHUKO plug) -  
 ELECTRICITY SUPPLY Lunghezza cavo 2 mt / 2mt Wire length

A ASPIRAZIONE / SUCTION Ø10  
M MANDATA / DISCHARGE Ø 6

TAPNBT/07