

RETARDER PROOFING

600x400 COUNTERS

Model: TALH/21S


Code: 42502020

PLANET

RETARDER PROVER COUNTER WITH HUMIDITY CONTROL - Retarder-prover counter suitable for 600x400 containers/trays with humidity control.

- Construction: made in stainless steel
- multifunction and multilingual
- Internal capacity: 600x400 mm trays
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 5" TOUCH screen control board
- prearranged to be installed on plinth
- Defrosting system: automatic defrosting system with heating elements
- Evaporation of condensation water: automatic
- Supply with: 7 pair of runners each door





60-90%

Technical Data:

| | | |
|------------------------------|-----|------------------|
| Body Height | mm | 710 |
| Doors | nr | 3 |
| Capacity of trays/shelves | mm | 21 600x400 |
| External dimensions (WxDxH) | cm | 209 x 77 x 86 |
| Insulation thickness | mm | 50 |
| Tray pitch | mm | 75 |
| Rack positions | nr | 7 |
| Top type | | without work top |
| Evaporators | nr | 1 |
| Standard lock | | NO |
| Standard light | | NO |
| Temperature | °C | -2/+35°C |
| Condensing unit | | plug-in unit |
| Gas | | R290 |
| Ventilation control | | NO |
| Humidity control | | YES |
| Relative humidity | ur% | 60-90% |
| Max abs. power | W | 1100 |
| Cooling power | W | 650 |
| Input voltage | | 1x230V ~ 50Hz |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 163 x 96 x 110 |
| Volume (gross) | mc | 2,38 |
| Gross weight | kg | 163 |

DETAILS:



Stainless steel cm 40x60 tray



The stainless steel h 40 mm worktops are reinforced and made with 15/10 sheet metal



Humidity control with electronic probe




Ecological gas (R290)



7" TOUCH electronic board



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Automatic work cycle



Manual work cycle

ACCESSORIES:



Rilsan cm 60x40 shelf

45020550



Pair of runners for 60x40 cm trays

20808031



Stainless steel cm 40x60x2h tray

42000560

Stainless steel cm 40x60x3h tray

42000562



Set of no. 6 Ø 125 castors

40200532



Wi-Fi supervising system for AFLV, BCT (overprice)

45000563



60Hz frequency

40200560

