

RETARDER PROOFING

600x400 COUNTERS

Model: TALH/27A

Code: 42502032

PLANET

RETARDER PROVER COUNTER WITH HUMIDITY CONTROL - Retarder-prover counter suitable for 600x400 containers/trays with humidity control.

- Construction: made in stainless steel
- Multifunction and multilingual
- Internal capacity: 600x400 mm trays
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 5" TOUCH screen control board
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Supply with: 7 pair of runners each door



Technical Data:

Body Height	mm	710
Doors	nr	4
Capacity (net)	l	539
Capacity (gross)	l	822
Capacity of trays/shelves	mm	28 600x400
External dimensions (WxDxH)	cm	265 x 80 x 100
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	15/10 H 40
Top type		AISI 304 with backsplash
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+35°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Relative humidity	ur%	60-90%
Max abs. power	W	1100***
Cooling power	W	650*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	278 x 96 x 110
Volume (gross)	mc	2,94
Net weight	kg	292
Gross weight	kg	307

*Evap. -10°C, Cond +45°C / *** Heating

DETAILS:



Humidity control with electronic probe



The stainless steel h 40 mm worktops are reinforced and made with 15/10 sheet metal



Stainless steel cm 40x60 tray




Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



5" TOUCH electronic board



Automatic work cycle



Manual work cycle

ACCESSORIES:



Rilsan cm 60x40 shelf

45020550



Pair of runners for 60x40 cm trays

20808031



Pair of runners for 60x40 cm trays

20808031



Stainless steel cm 40x60x2h tray

42000560

Stainless steel cm 40x60x3h tray

42000562



Set of no. 6 Ø 125 castors

40200532



Wi-Fi supervising system for AFLV, BCT (overprice)

45000563



60Hz frequency

40200560

