

RETARDER PROOFING

600x400 COUNTERS

Model: TALH/27A

Code: 42502032

PLANET

RETARDER PROVER COUNTER WITH HUMIDITY CONTROL - Retarder-prover counter suitable for 600x400 containers/trays with humidity control.

- Construction: made in stainless steel
- multifunction and multilingual
- Internal capacity: 600x400 mm trays
- Position of technical compartment: on right side
- Refrigeration type: refrigeration system HSS "Helped Static System"
- Control board panel: 5" TOUCH screen control board
- prearranged to be installed on plinth
- Defrosting system: automatic defrosting system with heating elements
- Evaporation of condensation water: automatic
- Supply with: 7 pair of runners each door



Technical Data:

Body Height	mm	710
Doors	nr	4
Capacity of trays/shelves	mm	28 600x400
External dimensions (WxDxH)	cm	265 x 80 x 100
Insulation thickness	mm	50
Tray pitch	mm	75
Rack positions	nr	7
Stainless steel top thickness	mm	15/10 H 40
Top type		AISI 304 with backsplash
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+35°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		YES
Relative humidity	ur%	60-90%
Max abs. power	W	1100
Cooling power	W	650
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	307 x 96 x 110
Volume (gross)	mc	2,94
Gross weight	kg	307

DETAILS:



Humidity control with electronic probe



The stainless steel h 40 mm worktops are reinforced and made with 15/10 sheet metal



Stainless steel cm 40x60 tray



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



7" TOUCH electronic board










Automatic work cycle




Manual work cycle

ACCESSORIES:

	Rilsan cm 60x40 shelf	45020550
	Pair of runners for 60x40 cm trays	20808031
	Pair of runners for 60x40 cm trays	20808031
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Set of no. 6 Ø 125 castors	40200532
	Wi-Fi supervising system for AFLV, BCT (overprice)	45000563
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



TALH/27A