

## PROFESSIONAL KITCHENS

**CABINETS FOR PROFESSIONAL KITCHENS**

**Model: XPB/70**


**Code: 4500270**

*SPACE PLUS*

GN 2/1 NEGATIVE DEEP-DRAWN INTERNAL SIDES  
CABINET - Freezer upright cabinet with deep-drawn internal sides for GN 2/1 racks, 55 mm pitch for 24 positions and complete with door lock with key and led light. Prearranged for remote condensing unit with valve system on request.

- Construction: made in stainless steel
- Deep-drawn internal sides
- Internal capacity: GN 2/1 racks
- Position of technical compartment: on top
- Refrigeration type: ventilated cooling system
- Control board panel: 2.2" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with hot gas
- Evaporation of condensation water: automatic
- Optional equipment: prearranged for remote system (R452A gas valve)
- Supply with: 3 GN 2/1 shelves












## Technical Data:


Doors	nr	1
Capacity (net)	l	435
Capacity (gross)	l	558
External dimensions (WxDxH)	cm	72 x 91 x 209
Insulation thickness	mm	95
Tray pitch	mm	55
Rack positions	nr	24
Standard lock		YES
Standard light		YES
Temperature	°C	-18/-21°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	580*
Cooling power	W	615**
Input voltage		1x230V ~ 50Hz
Energy efficiency class		B
Energy consumption kWh/24h	kWh/24h	3,43
Energy consumption kWh/year	kWh/year	1253
Energy efficiency index		37,76
Climate class		5
Packaging dimensions (WxDxH)	cm	83 x 97 x 221
Volume (gross)	mc	1,78
Net weight	kg	146
Gross weight	kg	156

\*Evap. -10°C, Cond. +45°C / \*\*Evap. -23,3 Cond. +54,4°C

## ACCESSORIES:

	GN 2/1 shelf	45000500
	GN 2/1 stainless steel shelf	45000515
	Pedal for single door	45000530
	Set of Ø 100 castors	45000540
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560
	Prearranged version with valve system for low temperature equipment (deduction)	

## INSTALLATION DIAGRAM:



XPB/70

ECOLABEL:

