

PROFESSIONAL KITCHENS

CABINETS FOR PROFESSIONAL KITCHENS

Model: EFB/02


Code: 45001920

SPACE

GN 2/1 NEGATIVE UPRIGHT CABINET - Freezer upright cabinet for GN 2/1 racks. Prearranged for remote condensing unit with valve system on request.

- made in stainless steel
- internal capacity: GN 2/1 racks
- upper technical compartment
- ventilated cooling system
- 2.8" touch control panel, digital display
- prearranged to be installed on plinth
- automatic defrosting system defrosting system with hot gas
- automatic condensate evaporation
- on request: prearranged for remote system (R452A gas valve)
- supply with: 6 GN 2/1 shelves






Technical Data:

Doors	nr	2
Capacity (gross)	l	1400
Insulation thickness	mm	60
External dimensions (WxDxH)	cm	144 x 81 x 209
Tray pitch	mm	65
Rack positions	nr	19
Standard lock		YES
Standard light		NO
Temperature	°C	-18/-21°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Umidity control		NO
Max abs. power	W	900**
Cooling power	W	955***
Input voltage		1x230V ~ 50Hz
Energy efficiency class		E
Energy consumption kWh/24h	kWh/24h	4535
Climate class		5
Packaging dimensions	cm	149 x 84 x 215
Volume	mc	2,69
Gross weight	kg	198

Evap. -10°C, cond. +45°C/*ASHRAE (evap. -23,3 cond. +54,4°C)

DETAILS



Door lock with key



Digital touch thermostat



Internal capacity GN 2/1



65mm pitch, 19 positions



Ventilated cooling system












Ecological gas (R290)




Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES

	GN 2/1 shelf	45000500
	GN 2/1 stainless steel shelf	45000515
	Pair of runners for GN 2/1 shelf	45001550
	Pedal for double door	45000532
	Set of Ø 100 castors	45000540
	Pastry structure for 19 60x40cm trays (65 mm pitch) each door (overprice)	45000543
	Wi-Fi supervising system	45000565
	60Hz frequency	40200560
	Prearranged version with valve system for low temperature equipment (deduction)	

INSTALLATION DIAGRAM



EFB/02

ECOLABEL

