# PROFESSIONAL KITCHENS

**CABINETS FOR PROFESSIONAL KITCHENS** **Model: XFN/140** **Code: 45002095**


*SPACE PLUS*

GN 2/1 POSITIVE UPRIGHT CABINET - Refrigerated upright cabinet for GN 2/1 racks, complete with door lock with key and led light. Prearranged for remote condensing unit with valve system on request.



- Construction: made in stainelss steel
- Deep-drawn internal sides
- Internal capacity: GN 2/1 racks
- Position of technical compartment: on top
- Refrigeration type: ventilated cooling system
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with heating elements
- Evaporation of condensation water: automatic
- Optional equipment: prearranged for remote system (R452A gas valve)
- Supply with: 6 GN 2/1 shelves

GEMM®



Technical Data:


| | | |
|---|---|---|
| Doors | nr | 2 |
| Capacity (net) | l | 866 |
| Capacity (gross) | l | 1279 |
| External dimensions (WxDxH) | cm | 139 x 89 x 209 |
| Insulation thickness | mm | 80 |
| Tray pitch | mm | 55 |
| Rack positions | nr | 24 |
| Standard lock | | YES |
| Standard light | | YES |
| Temperature | °C | -2/+8°C |
| Condensing unit | | plug-in unit |
| Compressor power | Hp | 1/2 |
| Gas | | R290 |
| Ventilation control | | NO |
| Humidity control | | NO |
| Max abs. power | W | 280* |
| Cooling power | W | 560* |
| Input voltage | | 1x230V ~ 50Hz |
| Energy efficiency class | | C |
| Energy consumption kWh/24h | kWh/24h | 2,59 |
| Energy consumption kWh/year | kWh/year | 947 |
| Energy efficiency index | | 46,6 |
| Climate class | | 5 |
| Packaging dimensions (WxDxH) | cm | 148 x 96 x 224 |
| Volume (gross) | mc | 3,18 |
| Net weight | kg | 184 |
| Gross weight | kg | 204 |

*Evap. -10°C, Cond +45°C


DETAILS:



Internal details of deep-drawn stainless steel-sides



Ventilated cooling system



Door lock with key and internal light





Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:


| | | |
|---|---|---|
| | GN 2/1 shelf | 45000500 |
| | GN 2/1 stainless steel shelf | 45000515 |
| | Pedal for double door | 45000532 |
| | Set of Ø 100 castors | 45000540 |
| | Wi-Fi supervising system (overprice) | 45000565 |
| | 60Hz frequency | 40200560 |
| | Prearranged version with valve system for normal temperature equipment (deduction) | |

INSTALLATION DIAGRAM:




XFN/140

ECOLABEL:


ENERG
енергия · ενεργεια
Y
IJA
IE
IA
GEMM srl
XFN/140 NEW
A+++
A++
A+
A
B
C
D
E
F
G
C
ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ
ENERGIJA · ENERGY · ENERGIE
ENERGI
947
kWh/annum
1L
866 L
- L
5
40°C-40%
2015/1094-IV