PASTRY|PIZZERIA

PASTRY CABINETS **Model: ARP/R20** **Code: 45010498**

DELICE

PASTRY POSITIVE UPRIGHT CABINET 20 TRAYS - Pastry refrigerated cabinet for 20 400x600 trays, with high umidity level for a better storage of fresh product. Available also prearranged for remote condensing unit with valve system.



- Construction: made in stainelss steel
- "Overcooling" and "energy saving" functions
- Internal capacity: 20 400x600 mm trays
- Position of technical compartment: on top
- Refrigeration type: "Gentle" cooling system with indirect/soft ventilation
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with hot gas
- Evaporation of condensation water: automatic
- 74 positions for shelves
- Optional equipment: rack kit for 20 460x610 mm trays
- On request: prearranged for remote system (R452A gas valve)
- Supply with: 20 pair of runners for 400x600 trays



Technical Data:

Doors	nr	1
Capacity (net)	l	304
Capacity (gross)	l	555
External dimensions (WxDxH)	cm	65 x 89,5 x 214
Insulation thickness	mm	70/75
Tray pitch	mm	16,5
Rack positions	nr	74
Standard lock		NO
Standard light		NO
Temperature	°C	-2/+8°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	500*
Cooling power	W	605*
Input voltage		1x230V ~ 50Hz
Energy efficiency class		D
Energy consumption kWh/24h	kWh/24h	2,25
Energy consumption kWh/year	kWh/year	820
Energy efficiency index		73,9
Climate class		5

*Evap. -10°C, Cond +45°C

DETAILS:



Internal cell probe for constant temperature monitoring



Evaporators with cataphoresis treatment and electronic fans



Constant temperature monitoring with digital control board



Racks with easily removable guides featuring 74 positions (16.5 mm pitch)




Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:


	Pair of runners for cm 40x60 tray	45020497
	Rilsan cm 60x40 shelf	45020550
	Stainless steel cm 60x40 shelf	45100242
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Cabinet LED light for SPACE and DELICE	45020530
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560
	Prearranged version with valve system for normal temperature equipment (deduction)	

INSTALLATION DIAGRAM:



ARP/R20

INSTALLATION DIAGRAM:



REV.	DESCRIZIONE	DIS	APPROVATA

DESCRIZIONE ARP - 20N R290		TOLL. GENERALE ±0.5 TOLL. FORI +0.1 / -0 TOLL. ANGOLI ±0.5°	GEMM®
DIMENSIONI 1980 x 790 x 620.3			CODICE 799080400
TRATTAMENTO			
NOTE	DATA 10/03/2022		DIS. mpossamai
	SCALA 1:12		VISTO

- AI TERMINI DI LEGGE QUESTO DISEGNO E' DI NOSTRA PROPRIETA' E NON PUO' ESSERE USATO O RIPRODOTTO SENZA NOSTRA AUTORIZZAZIONE -

ARP/R20