PASTRY|PIZZERIA


PASTRY CABINETS **Model: ARP/41B** **Code: 45010525**

DELICE

PASTRY NEGATIVE UPRIGHT CABINET 40 TRAYS, 2 HALF DOORS - Pastry freezer cabinet for 40 600x400 trays. Available also prearranged for remote condensing unit with valve system.



- Construction: made in stainelss steel
- "Overcooling" and "energy saving" functions
- Internal capacity: 40 600x400 mm trays
- Position of technical compartment: on top
- Refrigeration type: "Gentle" cooling system with indirect/soft ventilation
- Control board panel: 2.8" touch control panel, digital display
- Prearranged to be installed on plinth
- Defrosting system: automatic with hot gas
- Evaporation of condensation water: automatic
- 74 positions for shelves
- On request: prearranged for remote system (R452A gas valve)
- Supply with: 20 pair of runners for 600x800 trays



Technical Data:

Doors	nr	1
Capacity (net)	l	608
Capacity (gross)	l	900
Capacity of trays/shelves	mm	40
External dimensions (WxDxH)	cm	79 x 108 x 214
Insulation thickness	mm	75
Tray pitch	mm	16,5
Rack positions	nr	74
Standard lock		NO
Standard light		NO
Temperature	°C	-22/-10°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	1200*
Cooling power	W	920**
Input voltage		1x230V ~ 50Hz
Energy efficiency class		D
Energy consumption kWh/24h	kWh/24h	8,66
Energy consumption kWh/year	kWh/year	3162
Energy efficiency index		70,7
Climate class		5
Packaging dimensions (WxDxH)	cm	87 x 114 x 226
Volume (gross)	mc	2,24
Net weight	kg	195
Gross weight	kg	205

*Evap. -10°C, Cond. +45°C / **Evap. -23,3 Cond. +54,4°C

DETAILS:



Internal cell probe for constant temperature monitoring



Evaporators with cataphoresis treatment and electronic fans



Constant temperature monitoring with digital control board



Racks with easily removable guides featuring 74 positions (16.5 mm pitch)




Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:


	Pair of runners for cm 60x80 shelf	45020511
	Rilsan cm 60x80 shelf	45020512
	Stainless steel 60x80 cm shelf	45020515
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Stainless steel cm 60x80x2h tray	45020520
	Toughened glass door with internal LED light (overprice)	45020525
	Cabinet LED light for SPACE and DELICE	45020530
	Set of Ø 100 castors	45000540
	Wi-Fi supervising system (overprice)	45000565
	60Hz frequency	40200560
	Prearranged version with valve system for low temperature equipment (deduction)	

INSTALLATION DIAGRAM:



ARP/41B

ECOLABEL:


ENERG
енергия · ενεργεια
Y
IJA
IE
IA
GEMM srl
ARP/41B
A+++
A++
A+
A
B
C
D
E
F
G
D
ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ
ENERGIJA · ENERGY · ENERGIE
ENERGI
3161
kWh/annum
1L
- L
608 L
4
30°C-55%
2015/1094-IV