

RETARDER PROOFING

RETARDER-PROOFING CABINETS

Model: AFLV/R20

Code: 45020298

PLANET

RETARDER PROVER CABINET 20 TRAYS - Retarder-prover cabinet for 20 400x600 trays, electronic humidity probe for humidity control.

- Construction: made in stainless steel
- Multifunction and multilingual
- Internal capacity: 20 400x600 mm trays
- Position of technical compartment: on top
- Refrigeration type: "Gentle" cooling system with indirect/soft ventilation
- Control board panel: 5" TOUCH screen electronic board
- Backing delay function
- Defrosting system: automatic with hot gas
- Evaporation of condensation water: automatic
- Supply with: 20 pair of runners for 400x600 trays






Technical Data:

Doors	nr	1
Capacity (net)	l	304
Capacity (gross)	l	555
Capacity of trays/shelves	mm	20 400x600
External dimensions (WxDxH)	cm	65 x 89 x 214
Insulation thickness	mm	70/75
Tray pitch	mm	16,5
Rack positions	nr	74
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-10/+35°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		YES
Humidity control		YES
Relative humidity	ur%	60-90%
Max abs. power	W	1550***
Cooling power	W	675*
Input voltage		1x230V ~ 50Hz
Climate class		5

*Evap. -10°C, Cond +45°C / *** Heating

CONTROL PANEL

• Programming and managing the proofing cycle is extremely easy and precise thanks to the 5" multifunction touch electronic control board. Intuitive and user-friendly, it allows you to set the phases of cooling, storage, warming, proofing, and holding, with the option to store up to 100 work programs and select from 7 languages. The electronic board ensures an ideal climate for any type of product by controlling temperature and relative humidity. It also provides immediate diagnostics through constant monitoring and display of operating parameters.



DETAILS:



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:



Pair of runners for cm 40x60 tray

45020497



Rilsan cm 60x40 shelf

45020550



Stainless steel cm 60x40 shelf

45100242



Stainless steel cm 40x60x2h tray

42000560

Stainless steel cm 40x60x3h tray

42000562



Wi-Fi supervising system for AFLV, BCT (overprice)


45000563



60Hz frequency


40200560

INSTALLATION DIAGRAM:



AFLV/R20

INSTALLATION DIAGRAM:



AFLV/R20