RETARDER PROOFING


RETARDER-PROOFING CABINETS **Model: AFLV/20** **Code: 45020300**

PLANET

RETARDER PROVER CABINET 20 TRAYS - Retarder-prover cabinet for 20 600x400 trays, electronic humidity probe for humidity control.



- Construction: made in stainelss steel
- Multifunction and multilingual
- Internal capacity: 20 600x400 mm trays
- Position of technical compartment: on top
- Refrigeration type: "Gentle" cooling system with indirect/soft ventilation
- Control board panel: 5" TOUCH screen control board
- Backing delay function
- Defrosting system: automatic with hot gas
- Evaporation of condensation water: automatic
- Supply with: 20 pair of runners for 600x400 trays



Technical Data:


Doors	nr	1
Capacity (net)	l	304
Capacity (gross)	l	500
Capacity of trays/shelves	mm	20 600x400
External dimensions (WxDxH)	cm	79 x 69 x 214
Insulation thickness	mm	75
Tray pitch	mm	16,5
Rack positions	nr	74
Evaporators	nr	1
Standard lock		NO
Standard light		NO
Temperature	°C	-10/+35°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		YES
Humidity control		YES
Relative humidity	ur%	60-90%
Max abs. power	W	1250***
Cooling power	W	675*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	87 x 77 x 226
Volume (gross)	mc	1,51
Net weight	kg	164
Gross weight	kg	174

*Evap. -10°C, Cond +45°C / *** Heating

CONTROL PANEL

- Programming and managing the proofing cycle is extremely easy and precise thanks to the 7" multifunction touch electronic control board. Intuitive and user-friendly, it allows you to set the phases of cooling, storage, warming, proofing, and holding, with the option to store up to 100 work programs and select from 7 languages.

The electronic board ensures an ideal climate for any type of product by controlling temperature and relative humidity. It also provides immediate diagnostics through constant monitoring and display of operating parameters.



DETAILS:



Ecological gas (R290)


GEMM Cloud

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:

	Pair of runners for cm 60x40 tray	45020503
	Rilsan cm 60x40 shelf	45020550
	Stainless steel cm 60x40 shelf	45100242
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Toughened glass door with internal LED light (overprice)	45020525
	Set of Ø 100 castors	45000540
	Wi-Fi supervising system for AFLV, BCT (overprice)	45000563
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



AFLV/20