RETARDER PROOFING


PROOFING CABINETS **Model: ALEV/20** **Code: 45020400**

PLANET

PROVER CABINET 20 TRAYS 600x400 WITH HUMIDITY CONTROL MAX 90% - Prover cabinet with control of temperature, leavening time and relative humidity. Pre-set program: +40°C (temperature), 90% (humidity).



- Construction: made in stainelss steel
- Internal capacity: 20 600x400 mm trays
- Position of technical compartment: on top
- Control board panel: 2.8" touch control panel, digital display
- Evaporation of condensation water: automatic
- Supply with: 20 pair of runners for 600x400 trays



Technical Data:

Doors	nr	1
Capacity (net)	l	304
Capacity (gross)	l	500
Capacity of trays/shelves	mm	20 600x400
External dimensions (WxDxH)	cm	79 x 69 x 214
Insulation thickness	mm	75
Tray pitch	mm	16,5
Rack positions	nr	74
Standard lock		NO
Standard light		NO
Temperature	°C	+40°C
Ventilation control		YES
Humidity control		YES
Relative humidity	ur%	max 90%
Max abs. power	W	2100***
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	87 x 77 x 226
Volume (gross)	mc	1,51
Net weight	kg	125
Gross weight	kg	135

*** Heating

DETAILS:


Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:

	Pair of runners for cm 60x40 tray	45020503
	Rilsan cm 60x40 shelf	45020550
	Stainless steel cm 60x40 shelf	45100242
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Toughened glass door with internal LED light (overprice)	45020525
	Set of Ø 100 castors	45000540
	Wi-Fi supervising system for AFLV, BCT (overprice)	45000563
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



ALEV/20