RETARDER PROOFING


PROOFING CABINETS **Model: ALEV/40** **Code: 45020420**

PLANET

PROVER CABINET 20 TRAYS 600x800 WITH HUMIDITY CONTROL MAX 90% - Prover cabinet with control of temperature, leavening time and relative humidity. Pre-set program: +40°C (temperature), 90% (humidity).



- Construction: made in stainelss steel
- Internal capacity: 40 600x400 mm trays
- Position of technical compartment: on top
- Control board panel: 2.8" touch control panel, digital display
- Evaporation of condensation water: automatic
- Supply with: 20 pair of runners for 600x800 trays



Technical Data:

Doors	nr	1
Capacity (net)	l	608
Capacity (gross)	l	900
Capacity of trays/shelves	mm	40 600x400
External dimensions (WxDxH)	cm	79 x 108 x 214
Insulation thickness	mm	75
Tray pitch	mm	16,5
Rack positions	nr	74
Standard lock		NO
Standard light		NO
Temperature	°C	+40°C
Ventilation control		YES
Humidity control		YES
Relative humidity	ur%	max 90%
Max abs. power	W	2100***
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	87 x 114 x 226
Volume (gross)	mc	2,24
Net weight	kg	179
Gross weight	kg	189

*** Heating

DETAILS:


Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:

	Pair of runners for cm 60x80 shelf	45020511
	Rilsan cm 60x80 shelf	45020512
	Stainless steel 60x80 cm shelf	45020515
	Stainless steel cm 60x80x2h tray	45020520
	Toughened glass door with internal LED light (overprice)	45020525
	Set of Ø 100 castors	45000540
	Wi-Fi supervising system for AFLV, BCT (overprice)	45000563
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



ALEV/40