RETARDER PROOFING

RETARDER-PROOFING CABINETS **Model: FLC/48** **Code: 45031120**


PLANET

COMBINED RETARDER PROVER CABINET 12+12 TRAYS
- Combined retarder prover cabinet for 12+12 trays 600x800. Humidity control with electronic probe, 2 half doors and 2 electronic boards for cycle control and management. Mounted on wheels.



- Construction: made in stainelss steel
- Multifunction and multilingual
- Internal capacity: 12+12 600x800 mm trays
- Position of technical compartment: on top
- Refrigeration type: "Gentle" cooling system with indirect/soft ventilation
- Control board panel: n. 2 5" TOUCH screen control boards
- Backing delay function
- Defrosting system: automatic with hot gas
- Evaporation of condensation water: manual tray
- Supply on wheels Ø 80 mm
- Supply with: 12+12 pair of runners for 600x800 trays

Set of no. 4 castors



Technical Data:


Doors	nr	2
Capacity of trays/shelves	mm	12+12 600x800
External dimensions (WxDxH)	cm	78 x 128 x 227
Insulation thickness	mm	65
Tray pitch	mm	58
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	-5/+35°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		YES
Humidity control		YES
Relative humidity	ur%	60-90%
Max abs. power	W	575+575*
Cooling power	W	850+850*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	135 x 83 x 240
Volume (gross)	mc	2,69
Net weight	kg	306
Gross weight	kg	316

*Electric power in heating phase / Evap. -10°C cond. +45°C

CONTROL PANEL

- Programming and managing the proofing cycle is extremely easy and precise thanks to the 7" multifunction touch electronic control board. Intuitive and user-friendly, it allows you to set the phases of cooling, storage, warming, proofing, and holding, with the option to store up to 100 work programs and select from 7 languages.

The electronic board ensures an ideal climate for any type of product by controlling temperature and relative humidity. It also provides immediate diagnostics through constant monitoring and display of operating parameters.



DETAILS:



Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)




Ecological gas (R290)

Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:

	Rilsan cm 60x40 shelf	45020550
	Stainless steel cm 60x40 shelf	45100242
	Stainless steel cm 40x60x2h tray	42000560
	Stainless steel cm 40x60x3h tray	42000562
	Wi-Fi supervising system for AFLV, BCT (overprice)	45000563
	60Hz frequency	40200560

INSTALLATION DIAGRAM:



FLC/48