

RETARDER PROOFING

RETARDER-PROOFING CABINETS

Model: FLC/48

Code: 45031120


PLANET

COMBINED RETARDER PROVER CABINET 12+12 TRAYS

- Combined retarder prover cabinet for 12+12 trays 600x800. Humidity control with electronic probe, 2 half doors and 2 electronic boards for cycle control and management. Mounted on wheels.

- Construction: made in stainless steel
 - Multifunction and multilingual
 - Internal capacity: 12+12 600x800 mm trays
 - Position of technical compartment: on top
 - Refrigeration type: "Gentle" cooling system with indirect/soft ventilation
 - Control board panel: n. 2 5" TOUCH screen control boards
 - Backing delay function
 - Defrosting system: automatic with hot gas
 - Evaporation of condensation water: manual tray
 - Supply on wheels Ø 80 mm
 - Supply with: 12+12 pair of runners for 600x800 trays
- Set of no. 4 castors





Technical Data:

Doors	nr	2
Capacity of trays/shelves	mm	12+12 600x800
External dimensions (WxDxH)	cm	78 x 128 x 227
Insulation thickness	mm	65
Tray pitch	mm	58
Evaporators	nr	2
Standard lock		NO
Standard light		NO
Temperature	°C	-5/+35°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Relative humidity	ur%	60-90%
Max abs. power	W	575+575*
Cooling power	W	850+850*
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	135 x 83 x 240
Volume (gross)	mc	2,69
Net weight	kg	306
Gross weight	kg	316

*Electric power in heating phase / Evap. -10°C cond. +45°C

DETAILS:



Humidity control with electronic probe




Ecological gas (R290)



USB port for data uploads and downloads useful for recipes, parameters and HACCP datas



5" TOUCH electronic board



Automatic work cycle



Manual work cycle



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)



Humidity control with electronic probe




Ecological gas (R290)



USB port for data uploads and downloads useful for recipes, parameters and HACCP datas



5" TOUCH electronic board



Automatic work cycle



Manual work cycle



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES:



Rilsan cm 60x40 shelf

45020550



Stainless steel cm 60x40 shelf

45100242



Stainless steel cm 40x60x2h tray

42000560

Stainless steel cm 40x60x3h tray

42000562



Wi-Fi supervising system for AFLV, BCT (overprice)


45000563



60Hz frequency

40200560

INSTALLATION DIAGRAM:



FLC/48