

PROFESSIONAL KITCHENS

ROLL IN CABINETS

Model: RIB/01P

Code: 45050212

SPACE

ROLL-IN NEGATIVE UPRIGHT CABINET WITH PASS-THROUGH DOOR - Freezer roll-in cabinet for 2 GN 1/1 - 600x400 trolleys or 1 GN 2/1 - 600x800 trolley. Prearranged for remote condensing unit with valve system on request.

- Construction: made in stainless steel
- Internal capacity: 2 GN 1/1 or 600x400 trolleys - 1 GN 2/1 or 600x80 trolleys
- Position of technical compartment: on top
- Refrigeration type: ventilated cooling system
- Control board panel: digital control by back panel
- Interior bumpers, bottom thickness 80mm
- Defrosting system: automatic with hot gas
- Evaporation of condensation water: automatic
- Optional equipment: prearranged for remote system (R452A gas valve)
- Supply with: ramp for trolleys
- Not included: trolleys






Technical Data:

Doors	nr	2
Capacity (gross)	l	1400
Trolley capacity	nr	1 GN 2/1 - 60x80 cm
External dimensions (WxDxH)	cm	102 x 117 x 235
Insulation thickness	mm	80
Internal dimensions (WxDxH)	cm	82 x 99 x 186
Standard lock		NO
Standard light		NO
Temperature	°C	-18/-21°C
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Humidity control		NO
Max abs. power	W	930*
Cooling power	W	955**
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions (WxDxH)	cm	114 x 130 x 254
Volume (gross)	mc	3,76
Net weight	kg	260
Gross weight	kg	285

Evap. -10°C, cond. +45°C/*ASHRAE (evap. -23,3 cond. +54,4°C)

INSTALLATION DIAGRAM:



RIB/01P