

ICE CREAM|PASTRY|PROFESSIONAL KITCHENS

BLAST CHILLERS/SHOCK FREEZERS FOR TRAYS

Model: BCB/05R


Code: 45100018

NEW RUNNER

"MINI" OVEN BLAST CHILLER / SHOCK FREEZER FOR 5 GN 1/1 TRAYS - Blast freezer which gets rapidly lower the core temperature of foods: chilling from +90°C to +3°C in 90 minutes and freezing from +90°C to -18°C in 240 minutes. Minimum air temperature -40°C.

- made in stainless steel
- suitable for placement under mini-oven
- no. 5 GN 1/1 trays
- technical compartment placed below
- chilling from +90°C to +3°C in 90 minutes and freezing from +90°C to -18°C in 240 minutes, reaching minimum air temperature -40°C
- 2.8" digital touch control
- special cycles: ice cream hardening, fish sanitization, pre-cooling, defrosting. Recipe book
- core probe as standard
- automatic defrosting system by pause
- automatic evaporation of condensate water
- on request: prearranged for remote system (R452A gas valve)
- supply with: trays structure, 67 mm pitch
- trays/shelves not included





Technical Data:

Doors	nr	1
Capacity (gross)	l	74
Capacity of trays/shelves	nr	5 GN 1/1
Insulation thickness	mm	60
External dimensions (WxDxH)	cm	52 x 85 x 88
Tray pitch	mm	67
Standard lock		NO
Standard light		NO
Yield* chilling (+90/+3°C) / freezing (+90/-18°C)	kg	18 11
Condensing unit		plug-in unit
Gas		R290
Ventilation control		NO
Umidity control		NO
Max abs. power	W	711**
Cooling power	W	791***
Input voltage		1x230V ~ 50Hz
Climate class		5
Packaging dimensions	cm	59 x 92 x 112
Volume	mc	0,6
Net weight	kg	80
Gross weight	kg	90


*Ambient temp. +30°C loading sample according to EN 17032:2018

Evap. -10°C, cond. +45°C/ASHRAE (evap. -23,3 cond. +54,4°C)

DETAILS



GAS R290



Chilling cycle



Core probe as standard



Detail of internal ventilation



2.8" Touch Electronic Board with Digit Display



Special preset cycles






Door detail




Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)

ACCESSORIES

	Stainless steel GN 1/1 shelf	45100240
	Set of Ø 100 castors	45000540
	Wi-Fi supervising system for AFLV, BCT (overprice)	45000563
	60Hz frequency	40200560

INSTALLATION DIAGRAM



BCB/05R NEW