

## ICE CREAM|PASTRY|PROFESSIONAL KITCHENS

BLAST CHILLERS/SHOCK FREEZERS FOR TROLLEYS

Model: GT3/0460

Code: 45101060

## NEW RUNNER

TUNNEL BLAST CHILLER / SHOCK FREEZER FOR 4 GN 2/1 - 600X800 TROLLEYS - Blast freezer which gets rapidly lower the core temperature of foods: chilling from +90°C to +3°C in 90 minutes and freezing from +90°C to -18°C in 240 minutes. Equipped with multifunction and multilingual electronic board that allows, thanks to the 7" color touch-screen graphic display, to easily organize the working cycles, to set multiple functions and to have a complete controle on the blast chilling or freezing. The board is connected to the Wi-Fi device, via Cloud platform, to supervise and modify the operation of the equipment or to diagnose any problems remotely (PC, tablet or smartphone).

· Construction: made in stainelss steel

- reinforced floor with stainless steel cover and stainless steel ramp
- core probe, USB door, GEMM-Cloud as standard
- Internal capacity: no. 4 GN 2/1 or 600x800 trolleys
- Position of technical compartment: on top

• Refrigeration type: chilling from +90°C to +3°C in 90 minutes and freezing from +90°C to -18°C in 240 minutes, reaching minimum air temperature -40°C

- Control board panel: 7" TOUCH screen control board
- special cycles: continuous cycle, fish sanitizing cycle, prechilling, drying cycle. Recipe book
- Defrosting system: automatic defrosing system with hot gas
- Evaporation of condensation water: condensation drain pipe (prearrange water drain)
- Machine supplied not assembled
- Not included: trolleys





## Technical Data:

Doors	nr	2	
Trolley capacity	nr	4 GN 2/1/60x80	
External dimensions (WxDxH)	cm	160 x 333 x 243	
Insulation thickness	mm	100	
Internal dimensions (WxDxH)	cm	90 x 282 x 200	
Standard lock		YES	
Standard light		YES	
Yield* chilling / freezing	ka	+90/+3°C = Kg 595	
	kg	+90/-18°C = Kg 550	
Condensing unit		remote condensing unit	
Compressor power	Нр	27	
Ventilation control		YES	
Humidity control		NO	
Max abs. power	W	2250 / 26495*	
Cooling power	W	24500**	
Input voltage		3x400V ~ 50Hz	
Climate class		5	
Volume (gross)	mc	30,04	
Gross weight	kg	2810	

\*Evap. -10°C, Cond. +45°C / \*\*Evap. -23,3 Cond. +54,4°C Ambient temp. +30°C loading sample according to EN 17032:2018

## ACCESSORIES:

*****	Winter kit for remote condensing unit BCC/8027P GT2/ GT3/ GT4/ GT5/ (overprice)	45100919
4	60Hz frequency	40200560