

BRERA

WINE LIBRARY Model: WL6/222S Code: 60000320

H 2200

REFRIGERATED WINE DISPLAY: 2-door wall version with 2 independent temperatures, maximum bottle capacity of 256. Technology, design, and high performance to enhance any environment. Made of AISI 304 stainless steel, it allows for optimal preservation of all types of wine by setting the temperature independently in each compartment, +4/+16°C. With a customizable color finish, the full glass doors shine with internal white LED lighting (or warm light upon request).

- Construction: stainless steel modular body
- Internal capacity: 256 bottles
- · Position of technical compartment: on top
- Refrigeration type: ventilated cooling system
- Control board panel: 2.2" touch control panel, digital display
- "White/cold" led light (6000K); on request "Warm" led light (2700K)
- · Defrosting system: with heating elements
- Evaporation of condensation water: automatic
- Machine supplied not assembled
- Optional equipment: painted color finishing on request
- Supply with: led lighting dimmer with remote control
- · Not included: bottle-handlings







Technical Data:

Doors	nr	2
External dimensions (WxDxH)	cm	165 x 55 x 220
· , , , , , , , , , , , , , , , , , , ,		
Insulation thickness	mm	50
Standard lock		YES
Standard light		SI, 6000K (on request 2700K)
Temperature	°C	+4/+16°C
Condensing unit		plug-in unit
Gas		R290
Noise level	dba	<43dba
Ventilation control		NO
Humidity control		NO
Max abs. power	W	860*
Cooling power	W	980*
Input voltage		1x230V ~ 50Hz
Climate class		4

^{*}Ambient temp. +26°C / Evap. -10°C, cond. +45°C

DETAILS:



Stainless steel door handle detail



SI5/04 Inclined bottle shelf in plexiglas



Custom color finishing (on request)



SR5/01 perforated stainless steel panel, no. bottles capacity



Glass sides (upon request)



ST5/02 Stainless steel tube structure



SC5/03 Flat bottle structure in plexiglas



Ecological gas (R290)



Remote monitoring system via GEMM-Cloud Wi-Fi connection (on request)




ACCESSORIES:

M M M	K522/01 Kit 4 stainless steel shelves (SR5/01) - bottles capacity: no. 128	60000500
	K522/02 Kit 3 stainless steel shelves (SR5/01) + 2 stainless steel bottle handling tubes (ST5/02) - bottles capacity: no. 108	60000510
	K522/03 Kit 3 stainless steel shelves (SR5/01) + 2 inclined bottle-handlings (SI5/04) - bottles capacity: no. 110	60000520
	K522/04 Kit 2 stainless steel shelves (SR5/01) + 4 plexiglass flat bottle-handlings (SC5/03)- bottles capacity: no. 92	60000530
	K522/05 Kit 2 stainless steel shelves (SR5/01) + 2 plexiglass flat bottle-handlings (SC5/03) + 2 inclined bottle-handlings (SI5/04)- bottles capacity: no. 92	60000540
	SR5/01 Stainless steel shelf (capacity no. 32 bottles)	60000700
.	ST5/02 Stainless steel bottle handling tubes (capacity no. 6 bottles)	60000705
	SC5/03 Plexiglass flat bottle-handlings (capacity no. 7 bottles)	60000710
	SI5/04 Inclined bottle-handling (capacity no. 7 bottles)	60000715
	Glass sides for WL6/220 (overprice)	60000750
	Stainless steel 25x25 pipes structure WL6 H220 (glass sides)	60000743
	Stainless steel shelf for "standing" bottles (28 bottles' capacity) for glass sides structure	60000770
and days	Stainless steel shelf for "horizontal" bottles (22 bottles' capacity) for glass sides structure	60000780
	Stainless steel shelf for "tilted" bottles (12 bottles' capacity) for glass sides structure	60000790
	Color finishing WL6 1-2 doors (overprice)	60000850
	Condensing unit 1/4 HP for each WL compartment (> 10 meters distance)	40200180
IQ	Condensing unit 1/6 HP for each WL compartment (≤ 10 meters distance)	40200184
?	Wi-Fi supervising system (overprice)	45000565
4	60Hz frequency	40200560



INSTALLATION DIAGRAM:



WL6/222S